



Border Controller Implementation Essentials

Pass Oracle 1Z0-400 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/1z0-400.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





QUESTION 1

When the nat-traversal parameter is set to "always", the Session Border Controller compares the ______ and the Layer-3 source address to determine whether the endpoint is behind a NAT device and further compares the ______ to the Layer-3 source address to determine whether to add the registration to its registration cache.

- A. SIP Proxy IP address;SIP Registrar address
- B. Sent-by of the bottom most Via header; host address of the Contact URI
- C. From address; host address of the Contact URI
- D. Host address of the Contact URI; From address
- E. Sent-by of the top most Via header; host address of the Contact URI

Correct Answer: BD

QUESTION 2

You are enabling management access on a network interface in the Session Border Controller. Which two are applicable?

- A. add-snmp-ip
- B. snmp-address
- C. add-hip-ip
- D. telnet-port
- E. set-hip

Correct Answer: BD

QUESTION 3

You configured local policy preferences on the Net-Net 4500. The Net-Net 4500 sorts through these preferences.

Which preference is ranked the second highest priority?

- A. Codec
- B. Lowest cost
- C. Next hop
- D. Realm
- E. Protocol



Correct Answer: E

QUESTION 4

What two bits of information may a SIP message contain?

- A. RAS signaling address
- B. Indication of transport method
- C. A fragmentation field that is used when SIP messages are forked and grow too large to fit in a standard IP packet.
- D. An options field, which is used to carry any routing records used to route a call through multiple proxies.

E. A start-line which contains the type of message, a URI, and the SIP version.

Correct Answer: BE

QUESTION 5

The Net-Net 4500 will release media between non-NATed SIP endpoints that are located in the same realm when the ______ parameter is set to ______.

- A. msm-network; disabled
- B. mm-in-realm; disabled
- C. mm-in-network; enabled
- D. mm-in-realm; enabled
- E. mm-in-network; disabled

Correct Answer: D

1Z0-400 Practice Test

1Z0-400 Exam Questions

1Z0-400 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



One Year Free Update



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days

Money Back Guarantee

from the date of purchase



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © lead4pass, All Rights Reserved.