

1Z0-400^{Q&As}

Border Controller Implementation Essentials

Pass Oracle 1Z0-400 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/1z0-400.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/1z0-400.html 2021 Latest lead4pass 1Z0-400 PDF and VCE dumps Download

Lead4Pass.com

QUESTION 1

Which option tag is used for reliability of provisional responses in SIP messages?

- A. 100rel
- B. Prack
- C. Rel
- D. Supported
- E. Required

Correct Answer: A

QUESTION 2

When SNMP access is enabled to the Session Border Controller, which statement is TRUE?

- A. There are no default community strings.
- B. Only one trap receiver can be configured.
- C. The default community strings are acme and packet.
- D. The default community strings are public and private.
- E. Community strings are in passive mode.

Correct Answer: C

QUESTION 3

Which two statements regarding SIP processing are TRUE?

- A. An initial INVITE will contain a From header tag and a To header tag as a globally unique identifier for the dialog.
- B. A CANCEL method can terminate a dialog.
- C. The combination of the To tag, From tag, and Call-ID completely defines a peer-to-peer SIP relationship and is referred to as a dialog.
- D. To avoid retransmissions, User Agents must forward received 100 Trying messages to their next hop.
- E. SIP sessions are terminated and re-originated as new sessions as they are routed through the Session Border Controller.

Correct Answer: AC

https://www.lead4pass.com/1z0-400.html

2021 Latest lead4pass 1Z0-400 PDF and VCE dumps Download

QUESTION 4

When working in the Session Border Controller\\'s OS environment, which is FALSE?

A. Every IP address referenced in a SIP configuration object must be defined as an IP address in the corresponding network-interface object

B. IP addresses defined in steering pools do not need to be defined as part of the network- interface configuration object.

C. An IP address to enable telnet to a network-interface must be defined appropriately in the corresponding network-interface object.

D. The local-address of an h323-stack does not need to be defined in the corresponding network- interface object.

E. The local-address of an MGCP gateway IP does not need to be defined in the corresponding network- interface object.

Correct Answer: A

QUESTION 5

A session agent group (SAG) allows for the creation of a logical grouping of session agents.

Which two options are valid for the "strategy" parameter in the session-group to route traffic?

A. propdist

B. lowsusrate

C. mostbusy

D. lastused

E. mostfree

Correct Answer: AD

Latest 1Z0-400 Dumps

1Z0-400 PDF Dumps

<u>1Z0-400 VCE Dumps</u>

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.