

1Z0-803^{Q&As}

Java SE 7 Programmer I

Pass Oracle 1Z0-803 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/1Z0-803.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



QUESTION 1

```
Given the code fragment
int var1 = -5;
int var2 = var1--;
int var3 = 0;
if (var2
var3 = var2++;
} else {
var3 = --var2;
}
System.out.println(var3);
What is the result?
A. 6
B. 4
C. 5
D. 5
E. 4
F. Compilation fails
```

QUESTION 2

Correct Answer: C

```
Given:

public class Main {

public static void main(String[] args) {

try {

doSomething();

}

catch (SpecialException e) {
```

https://www.lead4pass.com/1Z0-803.html

2021 Latest lead4pass 1Z0-803 PDF and VCE dumps Download

| System.out.println(e); |
|--|
| }} |
| static void doSomething() { |
| int [] ages = new int[4]; |
| ages[4] = 17; |
| doSomethingElse(); |
| } |
| static void doSomethingElse() { |
| throw new SpecialException("Thrown at end of doSomething() method"); } } |
| What is the output? |
| A. SpecialException: Thrown at end of doSomething() method |
| B. Error in thread "main" java.lang. ArrayIndexOutOfBoundseror |
| C. Exception in thread "main" java.lang.ArrayIndexOutOfBoundsException: 4 at Main.doSomething(Main.java:12) at Main.main(Main.java:4) |
| D. SpecialException: Thrown at end of doSomething() method at Main.doSomethingElse(Main.java:16) at Main.doSomething(Main.java:13) at Main.main(Main.java:4) |
| Correct Answer: C |
| The following line causes a runtime exception (as the index is out of bounds): |
| ages[4] = 17; |
| A runtime exception is thrown as an ArrayIndexOutOfBoundsException. |
| Note: The third kind of exception (compared to checked exceptions and errors) is the runtime exception. These are |

Note: The third kind of exception (compared to checked exceptions and errors) is the runtime exception. These are exceptional conditions that are internal to the application, and that the application usually cannot anticipate or recover from.

These usually indicate programming bugs, such as logic errors or improper use of an API.

Runtime exceptions are not subject to the Catch or Specify Requirement. Runtime exceptions are those indicated by RuntimeException and its subclasses.

QUESTION 3

```
Given:

public class Test {

public static void main(String[] args) {
```

https://www.lead4pass.com/1Z0-803.html

2021 Latest lead4pass 1Z0-803 PDF and VCE dumps Download

```
int ax = 10, az = 30;
int aw = 1, ay = 1;
try {
aw = ax \% 2;
ay = az / aw;
} catch (ArithmeticException e1) {
System.out.println("Invalid Divisor");
} catch (Exception e2) {
aw = 1;
System.out.println("Divisor Changed");
}
ay = az /aw; // Line 14
System.out.println("Succesful Division " + ay);
}
}
What is the result?
A. Invalid Divisor Divisor Changed Successful Division 30
B. Invalid Divisor Successful Division 30
C. Invalid Divisor Exception in thread "main" java.lang.ArithmeticException: / by zero at
test.Teagle.main(Teagle.java:14)
D. Invalid Divisor Exception in thread "main" java.lang.ArithmeticException: / by zero at
test.Teagle.main(Teagle.java:14) Successful Division 1
Correct Answer: C
```

QUESTION 4

```
Given:

public class Painting {

private String type;

public String getType() {

return type;
```



```
}
public void setType(String type) {
this.type = type;
}
public static void main(String[] args) {
Painting obj1 = new Painting();
Painting obj2 = new Painting();
obj1.setType(null);
obj2.setType("Fresco");
System.out.print(obj1.getType() + " : " + obj2.getType()); }
}
What is the result?
A.: Fresco
B. null: Fresco
C. Fresco: Fresco
D. A NullPointerException is thrown at runtime
Correct Answer: B
```

QUESTION 5

Given:

```
public class Test {
static boolean bVar;
public static void main(String[] args) {
boolean bVar1 = true;
int count =8;
do {
System.out.println("Hello Java! " +count);
if (count >= 7) {
bVar1 = false;
```

https://www.lead4pass.com/1Z0-803.html 2021 Latest lead4pass 1Z0-803 PDF and VCE dumps Download

| } |
|--|
| } while (bVar != bVar1 and and count > 4); |
| count -= 2; |
| } |
| } |
| What is the result? |
| A. Hello Java! 8 Hello Java! 6 Hello Java! 4 |
| B. Hello Java! 8 Hello Java! 6 |
| C. Hello Java! 8 |
| D. Compilation fails |

Latest 1Z0-803 Dumps

Correct Answer: C

1Z0-803 Exam Questions

1Z0-803 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.