



1Z0-899^{Q&As}

Java EE 6 Web Component Developer Certified Expert

Pass Oracle 1Z0-899 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/1Z0-899.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

You are implementing a model component. You realize that an IOException might arise if you lose connection to the database. How should you address this?

- A. Implement multipathing to provide redundant connectivity to the database, thereby avoiding that risk of connection failure.
- B. Provide an error handler page, and use the page directive in the invoking ISP to redirect to that page if the error arises.
- C. Use the JSTL tag to take control if the exception arises.
- D. Surround the problem area with a try/catch block and implement appropriate recovery or fallback behavior.

Correct Answer: C

Reference: <http://www.ibm.com/developerworks/java/library/j-jstl0318/> (topic: exception handling)

QUESTION 2

You have a simple web application that has a single Front Controller servlet that dispatches to JSPs generate a variety of views. Several of these views require further database processing to retrieve the necessary order object using the orderID request parameter. To do this additional processing, you pass the request first to a servlet that is mapped to the URL pattern /WEB-INF/retrieveOrder.do. in the deployment descriptor. This servlet takes two request parameters, the ordered and the jspID and the jspURL. It handles the database calls to retrieve and build the complex order objects and then it dispatches to the jspURL.

Which code snippet in the Front Controller servlet dispatches the request to the order retrieval servlet?

- A. `request.setAttribute("orderID", orderID); request.setAttribute("jspURL", jspURL); = context.getRequestDispatcher("/WEB-INF/retrieveOrder.do"); view.forward(request, response)`
- B. `request.setAttribute("orderID", orderID); request.setAttribute("jspURL", jspURL); Dispatcher view = request.getRequestDispatcher("/WEB-INF/retrieveOrder.do"); View.forwardRequest(request, response);`
- C. `String T = "/WEB-INF/retrieveOrder.do?orderID = %d&jspURI = %s"; String url = String.format(T, ordered, jspURL); = context.getRequestDispatcher(url); View.forward(request, response);`
- D. `String T = "/WEB-INF/retrieveOrder.do?orderID = %d&jspURI = %s"; String url = String.format(T, ordered, jspURL); = context.getRequestDispatcher(url); View.forwardRequest(request, response);`

Correct Answer: C

QUESTION 3

To add a servlet to a context that has not been declared either via annotation or via the descriptor, during context initialization time the following API can be used (Choose three.)

- A. `servletContext.addServlet("myServletName", "MyServlet");`



B. `servletContext.addServlet(()getClass().getClassLoader().getClassLoader().loaderClass("MyServlet"));`

C. `servletContext.addServlet(myServlet);`

D. `servletContext.addServlet("myServletName",)gerClass().getClassLoader ().loaderClass("myServlet"));`

E. `servletContext.addServlet("myServletName", MyServlet);`

Correct Answer: ADE

`addServlet`

`ServletRegistration.Dynamic addServlet(java.lang.String servletName, java.lang.Class`



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © lead4pass, All Rights Reserved.