



Introducing Cisco Data Center Networking

# Pass Cisco 200-150 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.lead4pass.com/200-150.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

800,000+ Satisfied Customers





### **QUESTION 1**

How does a GLBP cluster respond to a host ARP request for the virtual IP address?

- A. The AVG responds by using one of the virtual MAC addresses.
- B. The highest priority AVF responds by using its own hardware MAC address.
- C. The least utilized router responds by using its own virtual MAC address.
- D. The AVG responds by using its own hardware MAC address.

Correct Answer: A


#### **QUESTION 2**

#### DRAG DROP

Drag and drop the OSI reference model layer on the left to the corresponding TCP/IP layer on the right.


Select and Place:





Correct Answer:





### **QUESTION 3**

Instructions:

THIS TASK DOES NOT REQUIRE DEVICE CONFIGURATION.

To access the multiple- choice questions, click on the numbered boxes on the left of the top panel.

There are four multiple- choice questions with this task. Be sure to answer all four questions before selecting the Next button.

Scenario:

Customer is configuring FCoE and NPV in their Data Center on Cisco Nexus 5000 Series Switches. Please go through the Topology and Exhibit 1 through 4 to answer the questions.

Topology:






Exhibit 2.

Exhibit 1.

## switch# configure terminal switch(config)# npv enable

Exhibit 2.



SERVEF INTERE		VSAN FCID	) PORT	NAME	59.C	NODE	NAME	EXTERN INTERF	55555
vfc3/1	1	0xee0008	10:00:00:00	:c9:60:e4	:9a 2	0:00:0	0:00:c9:60	):e4:9a	fc2/1
vfc3/1	1	0xee0009	20:00:00:00	0a:00:00	:01 2	0:00:0	0:00:c9:60	0:e4:9a	fc2/2
vfc3/1	1	0xee000a	20:00:00:00	:0a:00:00	:02 2	0:00:0	0:00:c9:6	0:e4:9a	fc2/3
vfc3/1	1	0xee000b	33:33:33:33	:33:33:33	:33 2	0:00:0	0:00:c9:6	0:e4:9a	fc2/4

Exhibit 3.

switch# show npv status	1.1							
npiv is enabled								
External Interfaces:								
Interface: fc2/1, VSAN: 1, FCIDE 0x1c0000,	State:	Up						
Interface: fc2/2, VSAN: 1. Poto: 0x040000,	State:	Up						
Interface: fc2/3, VSAN: 1, FCID: 0x260000,	State:	Up						
Interface: fc2/4, VSAN: 1, FCID: 0x1a0000,	State:	Up						
Number of External Interfaces: 4								
and an								
Server Interfaces:								
======								
Interface: vfc3/1, VSAN: 1, NPIV: No, State	e: Up							
Number of Server Interfaces: 1								



Exhibit 4.

switch# show npv status					
npiv is enabled disruptive load balancing	is of	abled			
External Interfaces:	13 Com	DIEG			
	offer				
==================					
Interface: fc2/1, VSAN:	2, FC	ID: 0x10	:0000,	State:	Up

What can you tell about server ports and their external interfaces from the exhibits?

A. vfc3/1 is not correctly connected to server external interface fc2/1.

B. vfc3/1 is not correctly connected to server external Interface fc2/1 and flogi are unsuccessful.

C. Server interface vfc3/1 is assigned to NP uplinks fc2/1. fc2/2, fc2/3. and fc2/4. There are 4 successful flogi.

D. Server interface vfc3/1 is assigned to NP uplinks fc2/1, fc2/2, fc2/3, and fc2/4. There are 4 flogi are in initialization state.

Correct Answer: B

### **QUESTION 4**

When you enter the feature npv command on a storage-capable switch from Cisco, what is the result?

A. N-Port Virtualization is enabled without rebooting.

- B. The switch reloads and erases the current configuration before it enables the feature N- Port ID Virtualization.
- C. The switch reloads and erases the current configuration before it enables the feature N- Port Virtualization.
- D. N-Port ID Virtualization is enabled without rebooting.

Correct Answer: C

### **QUESTION 5**

An engineer implemented a new VSAN and examined the F-mode trunks connecting an upstream switch. The engineer noticed that the new VSAN is stuck in initializing. Which two options explain why this is happening? (Choose two.)

A. A device has not attempted to log in the ne VSAN across the trunk.



- B. Only the primary VSAN lists as active while subordinate VSANs stay initializing.
- C. The trunk must be disabled an re-enabled to join the new VSAN.
- D. Only the secondary VSAN lists as active while primary VSANs stay initializing.
- E. The new VSAN has not been configured in the upstream switch.

Correct Answer: AE

200-150 PDF Dumps

200-150 Study Guide

200-150 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

### https://www.lead4pass.com/allproducts

### **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:



#### **One Year Free Update**



Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.



To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days

**Money Back Guarantee** 

from the date of purchase



#### Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © lead4pass, All Rights Reserved.