# 2V0-641<sup>Q&As</sup>

VMware Certified Professional 6 – Network Virtualization Beta

### Pass VMware 2V0-641 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/2v0-641.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by VMware Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



## Leads4Pass

#### **QUESTION 1**

A network security administrator wants to monitor traffic on several VLANs configured on a vSphere Distributed Switch. The traffic will be sent to another distributed port.

What type of port mirroring session must be configured to meet these requirements?

- A. Select the session type Distributed Port Mirroring when configuring the Port Mirroring session.
- B. Select the session type Remote Mirroring Source when configuring the Port Mirroring session.
- C. Select the session type Remote Mirroring Destination when configuring the Port Mirroring session.
- D. Select the session type Distributed Port Mirroring (legacy) when configuring the Port Mirroring session.

Correct Answer: C

#### **QUESTION 2**

Where does the Distributed Logical Firewall enforce firewall rules?

- A. At the Virtual Machine\\'s virtual Network Interface Card (vNIC).
- B. At the Logical Switch virtual port that the Virtual Machine connects to.
- C. At the NSX Controller\\'s firewall kernel module.
- D. At the ESXi host vmnic used by the vSphere Distributed Switch.

Correct Answer: A

#### **QUESTION 3**

On which device Command Line Interface can an administrator list the ARP entries for a given VXLAN network?

- A. ESXi Host
- B. NSX Controller
- C. NSX Manager
- D. NSX Edge

Correct Answer: A

#### **QUESTION 4**

Which three network policy settings can only be configured on a vSphere 5.5 Distributed Switch? (Choose three.)

- A. Access Control Lists (ACLs)
- B. Network I/O Control
- C. LACP v2
- D. NetFlow
- E. DSCP Marking

Correct Answer: ACE

#### **QUESTION 5**

-- Exhibit -

mmary Monitor Manag	e Related Objects	
Flow Monitoring		•
	Test Parameters	0.
Ping	Source host	<i>V</i>
Broadcast	esxcomp-01a.corp.local	Browse
	Size of test packet VXLAN standard Minimum esxcomp-02a corp.local Start Test Results	Results Browse Status: Test Completed Packets sent by esxcomp- 01a.corp.local
	Status: Test Failed	All packets received by esxcomp-02a.corp.local
		Packets transmitted 3

-- Exhibit -

An administrator is testing connectivity between two ESXi hosts and uses the ping utility, as shown in the

Exhibit.

Based on the results shown in the exhibit, which statement is correct?

- A. Communication between the hosts is working correctly.
- B. The hosts are in separate subnets.



- C. The MTU size is too small.
- D. A logical router has not been deployed and configured.

Correct Answer: C

2V0-641 Practice Test

2V0-641 Study Guide

2V0-641 Braindumps