

300-320^{Q&As}

Designing Cisco Network Service Architectures

Pass Cisco 300-320 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/300-320.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF Lead4Pass.com

https://www.lead4pass.com/300-320.html 2021 Latest lead4pass 300-320 PDF and VCE dumps Download

QUESTION 1
An OSPF router should participate in maximum of how many areas?
A. 3
B. 2
C. 1
D. 4
Correct Answer: A
QUESTION 2
Which cisco NX-OS feature can be used to build highly scalable layer 2 multipath networks without utilizing the spanning tree protocol?
A. OTV
B. FabricPath
C. vPC
D. MST
Correct Answer: B
QUESTION 3
A company uses site-to-site IPsec VPN tunnels established over the public internet as a backup to its private WAN. The interoffice IP telephony service quality is degraded when a failover event occurs. What known design limitation can cause this issue?
A. maximum headend router throughput
B. circuit bandwidth
C. transport reliability
D. number of remote sites
Correct Answer: C

QUESTION 4



https://www.lead4pass.com/300-320.html

2021 Latest lead4pass 300-320 PDF and VCE dumps Download

Which one is IETF standared A. Cisco Fabric Path

B. Data Center Bridging C. CUS D. Transparent Interconnection of Lots of Links Correct Answer: D The Data Center Bridging (DCB) architecture is based on a collection of open standards Ethernet extensions developed through the IEEE 802.1 working group to improve and expand Ethernet networking and management capabilities in the data center. https://www.cisco.com/c/dam/en/us/solutions/collateral/data-center-virtualization/ieee-802-1-datacenterbridging/at a glance c45-460907.pdf TRILL ("Transparent Interconnection of Lots of Links") is an IETF Standard[1] implemented by devicescalled RBridges (routing bridges) or TRILL Switches. https://en.wikipedia.org/wiki/TRILL_(computing) **QUESTION 5** An engineer must create this design: Restrict certain networks from being advertised to remote branches connected via eBGP. Prohibit advertisement of the specific prefix to external peers only. Which BGP community must be configured to meet these requirements? A. no-advertise B. no-export C. internet D. gshut E.

300-320 PDF Dumps | 300-320 VCE Dumps | 300-320 Exam Questions

local-as

Correct Answer: B



https://www.lead4pass.com/300-320.html 2021 Latest lead4pass 300-320 PDF and VCE dumps Download

300-320 PDF Dumps

300-320 VCE Dumps

300-320 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.