3605^{Q&As}

Avaya Ethernet Routing Switch Implementation and Maintenance Exam

Pass Avaya 3605 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/3605.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Avaya Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



Leads4Pass

QUESTION 1

When configuring link aggregation, a technician created a Distributed Multi-Link Trunk (DMLT) group on the Edge switch to the switch cluster core. What gets distributed?

- A. Access ports
- B. Discard Looped Frames
- C. Spanning Tree Enable
- D. LACP Enable

Correct Answer: A

QUESTION 2

An existing enterprise network is using Ethernet Routing Switch (ERS) 8600 switches in the campus core. It has determined that 10 Gigabit links are required to replace the existing 1 Gigabit links 1 to the closest. This will affect 18 connections on each of the ERS 8600 switches. Which statement describes how to accomplish this requirement in each ERS 8600 chassis?

A. Replace the two existing switch fabric modules with 8394SF systems.

- B. Replace the two existing switch fabric modules with 8692SF and Supermezz.
- C. Replace the two existing 8616SXE modules with 8612XLRS modules.
- D. Replace the six 8683XLR modules with 8612XLRS.

Correct Answer: C

QUESTION 3

A technician is configuring an Ethernet Routing Switch (ERS) 5520-24T for the edge of the Converged Campus network. in band communication to edge switch is a customer design requirement. Which two VLANS are acceptable VLANs to use for the switch/stack IP addresses? (Choose two)

- A. default
- B. voice
- C. data
- D. management

Correct Answer: CD

QUESTION 4



A technician needs to reboot an Ethernet Routing Switch (ERS) 5000 Series switch with a default configuration. What needs to be done to keep the IP address and stack license?

- A. Boot partial-default
- B. Boot-default save-license
- C. Boot default-save
- D. Boot restore-license

Correct Answer: A

QUESTION 5

On the Ethernet Routing Switch (ERS) 8800, the Virtual Routing Forwarding (VRF)-Lite feature supports multicast virtualization. Which statements about multicast virtualization are true? (Choose two)

A. Multicast virtualization is fully supported in high availability mode and there is no interruption to traffic in the event of the failure of a CPU.

- B. Multicast virtualization requires version 7.1 or later.
- C. To facilitate multicast route redistribution between VRFs, an external unicast edge router is required.
- D. Many IGMP and PIM commands that you use on the Global Router also apply to VRFs that create.

Correct Answer: AD

3605 VCE Dumps

3605 Exam Questions

3605 Braindumps