

400-101^{Q&As}

CCIE Routing and Switching Written

Pass Cisco 400-101 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/400-101.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



ead4Pass.com


QUESTION 1

DRAG DROP

Drag and drop each description from the left onto the corresponding IP multicast on the right.

Select and Place:


Answer Area



Correct Answer:

https://www.lead4pass.com/400-101.html

Answer Area



QUESTION 2

Which three statements about bridge assurance are true? (Choose three)

- A. Bridge assurance can be enabled on one end of a link or on the both ends.
- B. If a bridge assurance ports failed to receive a BPDU after a timeout, the port is put into an error disabled state.
- C. If a bridge assurance ports failed to receive a BPDU after a timeout, the port is put into a blocking state.
- D. Bridge assurance is enabled on STP multipoint links only.
- E. Bridge assurance must be enabled on both the ends of a link.
- F. Bridge assurance is enabled on STP point-to-point links only.

Correct Answer: CEF

QUESTION 3

Refer to the exhibit.

```
Routerl#show run
Buildiing configuration...

ip cef
no ip domain loopup

pseudowire-class RltoR2
   ip local interface Loopback0

interface Loopback0
   ip address 10.1.1.1 255.255.255

interface FastEthernetl/0
   no snmp trap link-status
   no cdp enable
   xconnect 10.10.12.1 12 pw-class RltoR2

end
```

You are configuring Router 1 and Router 2 for L2TPv3 tunneling.

Which two additional configurations are required to enable Router1 and Router2 to establish the tunnel? (Choose two)

- A. Cisco Express Forwarding must be disabled on Router 1.
- B. Cisco Discovery Protocol must be enabled on interface FastEthernet1/0 on Router 1.
- C. An IP address must be configured on interface FastEthernet1/0 on Router 1.
- D. Loopback 0 on Router 1 must be advertised to Router 2.
- E. Router 1 must be configured to encapsulate traffic by using L2Tpv3 under the pseudowire-class R1toR2.

Correct Answer: DE

QUESTION 4

Refer to the exhibit.

https://www.lead4pass.com/400-101.html

2021 Latest lead4pass 400-101 PDF and VCE dumps Download



Which two effects will this .gitignore file have on Git operations? (Choose two.)

- A. Ignore Python compiled files
- B. Ignore Python source code files
- C. Ignore the env directory
- D. Ignore the env file

Correct Answer: AD

QUESTION 5

Which two options are restrictions of BGP ORF? (Choose two)

- A. It can be used only with eBGP.
- B. It requires access lists to match routes.
- C. Multicast is not supported.
- D. It can be used only with IPv4 multicast.
- E. It can be used only with iBGP

Correct Answer: AC

400-101 VCE Dumps

400-101 Practice Test

400-101 Exam Questions

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.