

# 640-822<sup>Q&As</sup>

Interconnecting Cisco Networking Devices Part 1

## Pass Cisco 640-822 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/640-822.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



#### https://www.lead4pass.com/640-822.html

#### **QUESTION 1**

Which transport layer protocol is used for critical Voice over IP services?

- A. SMTP
- B. ICMP
- C. TCP
- D. UDP
- E. RTP

Correct Answer: D

#### **QUESTION 2**

Refer to the exhibit.



A host is connected to switch port fa0/3. The host and switch have been fully configured for IP connectivity as shown. However, the indicator LED on switch port fa0/3 is not on, and the host cannot communicate with any other hosts including those connected to VLAN 2 on the same switch. Based on the given information, what is the problem?

- A. switch port fa0/3 is not configured as a trunk port
- B. there is a bad cable
- C. the switch has been assigned an incorrect subnet mask
- D. switch port fa0/3 has been blocked by STP
- E. the switch and the host must be in the same subnet

Correct Answer: B

#### https://www.lead4pass.com/640-822.html

2021 Latest lead4pass 640-822 PDF and VCE dumps Download

#### **QUESTION 3**

Which of the	following	protocols	uses both	<b>TCP</b>	and UDP	ports?

- A. FTP
- B. SMTP
- C. Telnet
- D. DNS

Correct Answer: D

#### **QUESTION 4**

Assuming a subnet mask of 255.255.248.0, three of the following addresses are valid host addresses. Which are these addresses? (Choose three.)

- A. 172.16.9.0
- B. 172.16.8.0
- C. 172.16.31.0
- D. 172.16.20.0

Correct Answer: ACD

#### **QUESTION 5**

Refer to the exhibit.

#### https://www.lead4pass.com/640-822.html

2021 Latest lead4pass 640-822 PDF and VCE dumps Download

```
R1#sh int ser0/1
Serial0/1 is up, line protocol is down
Hardware is GT96K Serial
Internet address is 192.1.1.1/30
MTU 1500 bytes, BW 1544 Kbit/sec, DLY 20000 usec,
reliability 255/255, txload 1/255, rxload 1/255
Encapsulation HDLC, loopback not set
Keepalive set (10 sec)
```

```
R2#sh int serial 0/1
Serial0/1 is up, line protocol is down
Hardware is GT96K Serial
Internet address is 192.1.1.2/30
MTU 1500 bytes, BW 1544 Kbit/sec, DLY 20000 usec,
reliability 255/255, txload 1/255, rxload 1/255
Encapsulation HDLC, loopback not set
Keepalive set (10 sec)
```

A network technician is unable to ping from R1 to R2. What will help correct the problem?

- A. Ensure that the serial cable is correctly plugged in to the interfaces.
- B. Apply the clock rate 56000 configuration command to the serial 0/1 interface of R1.
- C. Configure the serial0/1 interfaces on R1 and R2 with the no shutdown command.
- D. Change the address of the serial0/1 interface of R1 to 192.1.1.4.
- E. Change the subnet masks of both interfaces to 255.255.255.240.

Correct Answer: A

640-822 VCE Dumps

640-822 Exam Questions

640-822 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

# Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

**Instant Download After Purchase** 

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

### **Need Help**

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.