

ACMP_6.4^{Q&As}

Aruba Certified Mobility Professional 6.4

Pass Aruba ACMP_6.4 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/acmp_6-4.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1



View the Server group screen shot above. A company has provisioned the same VAP, AAA and SSID profiles at both its Miami and NY offices. This Server Group is applied for 802.1x authentication at both locations. The user\\'s credentials are only found in the Miami Radius server "RadiusMiami". There is no Radius synchronization and both servers are reachable. What happens when the user attempts to authenticate?

- A. The controller recognizes the users Domain and sends the authentication request directly to RadiusMiami.
- B. The request is initially sent to RadiusNY1 then RadiusNY1 redirects the controller to send the authentication request to RadiusMiami
- C. RadiusNY1 receives the request and returns a deny. No other action is taken.
- D. RadiusNY1 receives the request and returns a deny. The authentication request will then be sent to RadiusMiami.
- E. The RadiusNY1 sends the request to RadiusMiami that replies to the controller

Correct Answer: C

QUESTION 2

By default Centralized licensing messages between master and local controllers are sent .

- A. In the clear unencrypted since the master and local controllers already share IPSEC tunnels.
- B. Using CPSec
- C. Using IPSec site to site VPN tunnels
- D. Encrypted using GRE
- E. PAPI

https://www.leads4pass.com/acmp_6-4.html 2024 Latest leads4pass ACMP_6.4 PDF and VCE dumps Download

Correct	Answer:	Α
---------	---------	---

QUESTION 3

How does an Aruba infrastructure calculate a wireless device\\'s location?

- A. GPS
- B. RF Fingerprinting
- C. RSSI triangulation
- D. TDOA
- E. LBS

Correct Answer: C

QUESTION 4

Which parameter(s) does a Master controller use to determine where a provisioned AP should terminate its GRE

- A. the IP address of the AP
- B. the MAC address of the AP
- C. the IP address of the switch nearest to the AP
- D. the name and group settings of the AP
- E. the VLAN the AP is attached to


Correct Answer: D

QUESTION 5

Which settings cannot be modified directly from a local controller?

- A. Port VLAN setting
- B. Switch Time Zone
- C. Port trusted
- D. Roles
- E. SNMP Enable Trap Generation

Correct Answer: D



ACMP 6.4 VCE Dumps ACMP 6.4 Exam Questions ACMP 6.

ACMP 6.4 Braindumps