

C2090-317^{Q&As}

DB2 11 System Administrator for z/OS

Pass IBM C2090-317 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/c2090-317.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

If a DB2 subsystem fails during start up in the log initialization phase, which two steps are needed in your corrective actions to minimize impact without completing a cold start?

- A. Start DB2 using DEFER ALL.
- B. Use DSNJU003 with the ENDRBA option.
- C. Use DSNJU003 with the STARTRBA option.
- D. Start DB2 using DEFER on catalog and directory.
- E. Recover the subsystem to the last known system checkpoint in BSDS.

Correct Answer: DE

QUESTION 2

Which action should you take to improve the performance of authorization checking for stored procedures or user-defined functions?

- A. Set subsystem parameter EXTSEC to YES.
- B. Increase the value of subsystem parameter SECQTY.
- C. Increase the value of subsystem parameter AUTHCACH.
- D. Increase the value of subsystem parameter CACHERAC.

Correct Answer: D

QUESTION 3

A given buffer pool is to be used for sequentially accessed pages only. Setting which buffer pool attribute to 0 (zero) will disable parallel processing operations in this buffer pool?

- A. DWQT
- B. VDWQT
- C. VPSEQT
- D. VPPSEQT

Correct Answer: D

QUESTION 4



https://www.leads4pass.com/c2090-317.html

2024 Latest leads4pass C2090-317 PDF and VCE dumps Download

In complex DB2 recovery scenarios, it is important to understand the scope of which objects require recovery.

Which DB2 utility provides a list of the names of all table spaces in the table space set that is specified and a list of all the tables in those table spaces?

- A. CHECK
- **B. REPORT**
- C. QUIESCE
- D. RECOVER

Correct Answer: D

QUESTION 5

A column mask is defined on TB_A. Which statement runs successfully?

- A. SELECT \\' FROM TB_A UNION ALL SELECT \\' FROM TB_B
- B. SELECT \\' FROM TB_A INTERSECT SELECT * FROM TB_B
- C. SELECT \\' FROM TB_A EXCEPT ALL SELECT \\' FROM TB_B
- D. SELECT\\'FROM TB A INTERSECT ALL SELECT * FROM TB B

Correct Answer: A

C2090-317 Practice Test

C2090-317 Exam Questions

C2090-317 Braindumps