

## C2150-609<sup>Q&As</sup>

IBM Security Access Manager V9.0 Deployment

**Pass IBM C2150-609 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2150-609.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

A deployment professional creates a support file on an IBM Security Access Manager V9.0 appliance.

What is the purpose?

- A. For backup and recovery
- B. To re-image the appliance
- C. To help troubleshoot problems with the appliance
- D. To capture a snapshot of the appliance configuration

Correct Answer: C

Reference: [https://www.ibm.com/support/knowledgecenter/SSELE6\\_8.0.1.2/com.ibm.isam.doc\\_8.0.1.2/admin/task/alps\\_managing\\_support\\_files.html](https://www.ibm.com/support/knowledgecenter/SSELE6_8.0.1.2/com.ibm.isam.doc_8.0.1.2/admin/task/alps_managing_support_files.html)

---

## QUESTION 2

A deployment professional has configured Federated Single Sign-On using IBM Security Access Manager V9.0 with WebSEAL as point of contact.

Which two things need to be configured to achieve Single Log Out (SLO) in the SAML 2.0 Federation? (Choose two.)

- A. The page displayed after pkmslogout is called (logout.html)
- B. The creation of user session ID\'s ([session]) user-session-ids= yes)
- C. The passing of session cookies to junctioned servers (-k option in the junction creation)
- D. The URIs that receive a single signoff request ([acct-mgt]) single-signoff-uri =/applications/signoff)
- E. The appropriate extended attribute to the Federation junction (HTTP-Tag-Value user\_session\_id=user\_session\_id)

Correct Answer: BD

---

## QUESTION 3

Which hardware component is included in an IBM Security Access Manager V9.0 hardware appliance?

- A. UPS
- B. IPMI port
- C. LCD Panel
- D. InfiniBand port

Correct Answer: C

---

Reference: [https://www.ibm.com/support/knowledgecenter/en/SSPREK\\_9.0.3/com.ibm.isam.doc/isam90\\_quickstart\\_hardware.html](https://www.ibm.com/support/knowledgecenter/en/SSPREK_9.0.3/com.ibm.isam.doc/isam90_quickstart_hardware.html)

---

## QUESTION 4

The IBM Security Access Manager V9.0 high-volume database stores data for which component?

- A. Cluster
- B. Runtime Server
- C. Advanced Access Control
- D. Distributed Session Cache

Correct Answer: B

---

## QUESTION 5

The appliance dashboard Reverse Proxy Health widget indicates a problem with the /snoop junction on the Test instance.

Which log file can be examined to find product errors?

- A. agent.log
- B. referer.log
- C. request.log
- D. msg\_webseald-test.log

Correct Answer: C

[C2150-609 Practice Test](#)

[C2150-609 Study Guide](#)

[C2150-609 Braindumps](#)