

C8060-218^{Q&As}

IBM Sterling B2B Integrator V5.2 Solution Implementation

Pass IBM C8060-218 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c8060-218.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A customer properties file called test.properties has the following entries: ABCD = 1234 test = ABCD

What is the correct way to get the value of the ABCD property into process data VAR1?

- A.
- B.
- C.
- D.

Correct Answer: D

QUESTION 2

In an FTP pull scenario with many trading partners, if the expected file is not available at the external FTP Server, the Business Process (BP) should reconnect and check for the file again after about 15 - 30 minutes. Which service would provide the optimal performance for the timing logic?

- A. Wait service
- B. Sleep service
- C. Schedule service
- D. FTP Client Begin Adapter

Correct Answer: A

QUESTION 3

A company needs to call an executable program on a remote server. Which service or adapter can be configured to work with remote systems?

- A. Remote Server Adapter
- B. Command Line Adapter 2
- C. Execution Control Service
- D. Encoding Conversion Service

Correct Answer: B

QUESTION 4

An inbound EDI process receives X12 and EDIFACT files where the functional group can contain multiple X12 transaction sets or EDIFACT messages. However, it is a requirement of the backend interface that will receive the translated data

that only one transaction or message per file is delivered to the interface.

Where is this configured?

- A. Transaction level Document Envelope
- B. Interchange level Document Envelope
- C. Parameter in customer_overrides.properties file
- D. Parameter passed to the X12Deenvelope or the EDIFACTDeenvelope service

Correct Answer: A

QUESTION 5

A 2-node IBM Sterling B2B Integrator (SBI) clustered solution is being designed. The customer will initiate connections with external partners using HTTP, FTP and SFTP protocols. For load balancing and fail over purposes 2 client adapters for each protocol are configured on each node and Service Groups are being used. How many Service Groups will be required?

- A. 1
- B. 2
- C. 3
- D. 6

Correct Answer: C

[Latest C8060-218 Dumps](#)

[C8060-218 Practice Test](#)

[C8060-218 Study Guide](#)