

H12-211^{Q&As}

HCIA-Routing & Switching V2.2

Pass Huawei H12-211 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/h12-211.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

In PPP, when the dual-end of both communicating parties detects the physical link activation, it will switch from the link
unavailable phase to the link establishment phase. This phase is mainly through the negotiation of link parameters
through the () protocol.

- A. IP
- B. DHCP
- C. LCP
- D. NCP

Correct Answer: C

QUESTION 2

Which of the following OSPF versions is specific to IPv6?

- A. OSPFv1
- B. OSPFv2
- C. OSPFv3
- D. OSPFv4

Correct Answer: C

QUESTION 3

After deploying a DHCP server on the network, the administrator finds that some hosts have obtained the address specified by the DHCP server.

What are the possible reasons? (multiple choice)

- A. There is another DHCP server in the network that is more efficient.
- B. Some hosts cannot communicate properly with the DHCP server. These host client systems automatically generate addresses in the range of 169.254.0.0.
- C. Some hosts cannot communicate properly with the DHCP server. These host client systems automatically generate addresses in the range of 127.254.0.0.
- D. The address pool of the DHCP server has been completely allocated.

Correct Answer: ABD



https://www.leads4pass.com/h12-211.html

2024 Latest leads4pass H12-211 PDF and VCE dumps Download

QUESTION 4

NAPT allows for multiple internal addresses to be mapped to a single public address. How does NAT distinguish between the different private addresses when mapping to the same public address?

- A. The source MAC address is used.
- B. The destination MAC address is used.
- C. The source port number is used.
- D. The destination port number is used.

Correct Answer: C

QUESTION 5

In RSTP, a backup port can replace a faulty root port.

A. TRUE

B. FALSE

Correct Answer: A

H12-211 PDF Dumps

H12-211 VCE Dumps

H12-211 Exam Questions