

JN0-321^{Q&As}

DX, Associate(JNCIA-DX)

Pass Juniper JN0-321 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-321.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



QUESTION 1

Which three statistics are available when viewing the Cluster statistics page? (Choose three.)

- A. average download time per page
- B. total number of 200 responses
- C. new SSL sessions
- D. AppRule counters
- E. connections to target server

Correct Answer: BCE

QUESTION 2

An enterprise has three FTP servers that can handle up to 200 connections each, one primary and two backup. They would like to have all initial traffic go to the primary server. If they run out of connections on the primary, traffic should then go to the first backup server. If they run out of connections on that server, then traffic should go to the third server. Which load balancing policy should be used to prevent excessive connections?

- A. Backup Chaining
- B. Max Connections
- C. Weighted RoundRobin with weight set to 200 on the primary server
- D. RoundRobin with Max Connections

Correct Answer: B

QUESTION 3

In the WebUI, which method will determine if a Cluster target host is available?

- A. Click Statistics > Cluster Groups
- B. Click Dashboard > Cluster group name
- C. Click Services > Cluster Groups
- D. Click Log > Audit

Correct Answer: B

QUESTION 4

Which two authentication protocols can be configured for RIP on an ERX Edge Router?

- A. PAP
- B. MD5
- C. CHAP
- D. Clear text

Correct Answer: BD

QUESTION 5

What are two load balancing policy options for GSLB? (Choose two.)

- A. fixed
- B. least connection
- C. fewest outstanding requests
- D. random

Correct Answer: AD

[JN0-321 Study Guide](#)

[JN0-321 Exam Questions](#)

[JN0-321 Braindumps](#)