

1Z0-858^{Q&As}

Java Enterprise Edition 5 Web Component Developer Certified
Professional Exam

Pass Oracle 1Z0-858 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-858.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which two are true about the JSTL core iteration custom tags? (Choose two.)

- A. It may iterate over arrays, collections, maps, and strings.
- B. The body of the tag may contain EL code, but not scripting code.
- C. When looping over collections, a loop status object may be used in the tag body.
- D. It may iterate over a map, but only the key of the mapping may be used in the tag body.
- E. When looping over integers (for example `begin=1 end=10`), a loop status object may not be used in the tag body.

Correct Answer: AC

QUESTION 2

You want to create a valid directory structure for your Java EE web application, and you want to put your web application into a WAR file called `MyApp.war`. Which two are true about the WAR file? (Choose two.)

- A. At deploy time, Java EE containers add a directory called `META-INF` directly into the `MyApp` directory.
- B. At deploy time, Java EE containers add a file called `MANIFEST.MF` directly into the `MyApp` directory.
- C. It can instruct your Java EE container to verify, at deploy time, whether you have properly configured your application's classes.
- D. At deploy time, Java EE containers add a directory call `META-WAR` directly into the `MyApp` directory.

Correct Answer: AC

QUESTION 3

Given the element from the web application deployment descriptor:

```
/main/page1.jsp true
```

and given that `/main/page1.jsp` contains:

What is the result?

- A.
- B. 12
- C. The JSP fails to execute.

D.

Correct Answer: C

QUESTION 4

Given an EL function foo, in namespace func, that requires a long as a parameter and returns a Map, which two are valid invocations of function foo? (Choose two.)

- A. `${func(1)}`
- B. `${foo:func(4)}`
- C. `${func:foo(2)}`
- D. `${foo(5):func}`
- E. `${func:foo("easy")}`
- F. `${func:foo("3").name}`

Correct Answer: CF

QUESTION 5

Which two about WAR files are true? (Choose two.)

- A. WAR files must be located in the web application library directory.
- B. WAR files must contain the web application deployment descriptor.
- C. WAR files must be created by using archive tools designed specifically for that purpose.
- D. The web container must serve the content of any META-INF directory located in a WAR file.
- E. The web container must allow access to resources in JARs in the web application library directory.

Correct Answer: BE

QUESTION 6

Given an EL function declared with:

11.

12.

spin

13.

com.example.Spinner

14.

15.

java.lang.String spinIt()

16.

17.

Which two are true? (Choose two.)

- A. The function method must have the signature:public String spin().
- B. The method must be mapped to the logical name "spin" in the web.xml file.
- C. The function method must have the signature:public String spinIt().
- D. The function method must have the signaturepublic static String spin().
- E. The function method must have the signature:public static String spinIt().
- F. The function class must be named Spinner, and must be in the package com.example.

Correct Answer: EF

QUESTION 7

You are creating a web form with this HTML:

11.

12.

13.

14.

15.

Which HTTP method is used when sending this request from the browser?

- A. GET
- B. PUT
- C. POST
- D. SEND
- E. FORM

Correct Answer: A

QUESTION 8

Which two are characteristics of the Front Controller pattern? (Choose two.)

- A. It simplifies remote interfaces to distributed objects.
- B. It promotes cleaner application partitioning and encourages reuse.
- C. It provides an initial point of contact for handling all related requests.
- D. It reduces maintainability due to the increased complexity of the design.
- E. It provides loosely coupled handlers that can be combined in various permutations.

Correct Answer: BC

QUESTION 9

Given the two security constraints in a deployment descriptor:

101.

102.

103. SALES 110.

If the two security constraints have the same url-pattern and http-method, which two, inserted independently at line 109, will allow users with role names of either SALES or MARKETING to access this resource? (Choose two.)

A.

- B. *
- C. ANY
- D. MARKETING

Correct Answer: BD

QUESTION 10

Given this fragment from a Java EE deployment descriptor:

341.

342.

java.lang.Throwable 343. /mainError.jsp 344.

345.

346.

java.lang.ClassCastException 347. /castError.jsp

348.

If the web application associated with the fragment above throws a ClassCastException.

Which statement is true?

- A. The deployment descriptor is invalid.
- B. The container invokes mainError.jsp.
- C. The container invokes castError.jsp.
- D. Neither mainError.jsp nor castError.jsp is invoked.

Correct Answer: C

QUESTION 11

Your company has a corporate policy that prohibits storing a customer's credit card number in any corporate database. However, users have complained that they do NOT want to re-enter their credit card number for each transaction. Your management has decided to use client-side cookies to record the user's credit card number for 120 days. Furthermore, they also want to protect this information during transit from the web browser to the web container; so the cookie must only be transmitted over HTTPS.

Which code snippet creates the "creditCard" cookie and adds it to the outgoing response to be stored on the user's

web browser?

- A. 10. Cookie c = new Cookie("creditCard", usersCard);11. c.setSecure(true);12.
- B. setAge(10368000);13. response.addCookie(c);
- C. 10. Cookie c = new Cookie("creditCard", usersCard);11. c.setHttps(true);12.
- D. setMaxAge(10368000);13. response.setCookie(c);
- E. 10. Cookie c = new Cookie("creditCard", usersCard);11. c.setSecure(true);12.
- F. setMaxAge(10368000);13. response.addCookie(c);
- G. 10. Cookie c = new Cookie("creditCard", usersCard);11. c.setHttps(true);12.
- H. setAge(10368000);13. response.addCookie(c);
- I. 10. Cookie c = new Cookie("creditCard", usersCard);11. c.setSecure(true);12.
- J. setAge(10368000);13. response.setCookie(c);

Correct Answer: C

QUESTION 12

Which JSTL code snippet can be used to import content from another web resource?

- A.
- B.
- C.
- D.
- E. Importing cannot be done in JSTL. A standard action must be used instead.

Correct Answer: A

QUESTION 13

You want to create a valid directory structure for your Java EE web application, and your application uses tag files and a JAR file. Which three must be located directly in your WEB-INF directory (NOT in a subdirectory of WEB-INF)? (Choose three.)

- A. The JAR file
- B. A directory called lib
- C. A directory called tags
- D. A directory called TLDs

E. A directory called classes

F. A directory called META-INF

Correct Answer: BCE

QUESTION 14

Your IT department is building a lightweight Front Controller servlet that invokes an application logic object with the interface:

```
public interface ApplicationController { public String invoke(HttpServletRequest request) }
```

The return value of this method indicates a symbolic name of the next view. From this name, the Front Controller servlet looks up the JSP URL in a configuration table. This URL might be an absolute path or a path relative to the current request. Next, the Front Controller servlet must send the request to this JSP to generate the view. Assume that the servlet variable request is assigned the current HttpServletRequest object and the variable context is assigned the webapp's ServletContext.

Which code snippet of the Front Controller servlet accomplishes this goal?

A. Dispatcher view= context.getDispatcher(viewURL);view.forwardRequest(request, response);

B. Dispatcher view= request.getDispatcher(viewURL);view.forwardRequest(request, response);

C. RequestDispatcher view= context.getRequestDispatcher(viewURL);view.forward(request, response);

D. RequestDispatcher view= request.getRequestDispatcher(viewURL);view.forward(request, response);

Correct Answer: D

QUESTION 15

All of your JSPs need to have a link that permits users to email the web master. This web application is licensed to many small businesses, each of which have a different email address for the web master. You have decided to use a context parameter that you specify in the deployment descriptor, like this:

42.

43.

webmasterEmail

44.

master@example.com

45.

Which JSP code snippet creates this email link?

A. [contact us](#)

B. [contact us](#)

C. [contact us](#)

D. [contact us](#)

Correct Answer: D

[1Z0-858 VCE Dumps](#)

[1Z0-858 Study Guide](#)

[1Z0-858 Exam Questions](#)