

## 500-451<sup>Q&As</sup>

Enterprise Networks Specialization

### Pass Cisco 500-451 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/500-451.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

When configuring the RADIUS server between ISE and the network access device, there are many different types of NADs. Which option is the NAD?

- A. Cat2960 Access Switches
- B. CAP-3600 Access Point in Local mode
- C. CT 5508 Wireless LAN Controller
- D. Cisco Prime Infrastructure
- E. AnyConnect wireless client

Correct Answer: C

---

## QUESTION 2

Which statement about single SSID wireless BYOD is true?

- A. uses only secure wireless
- B. has a dedicated open SSID for onboarding provisioning
- C. has a separate secure SSID for enhanced security on the network
- D. supports guests and employees and is the preferred method

Correct Answer: A

---

## QUESTION 3

Which installation option is available as of Prime Infrastructure 2.0?

- A. distributed
- B. web-based installation
- C. physical appliance
- D. Windows installer

Correct Answer: C

---

## QUESTION 4

Which option is performed exclusively by the mobility agent?

- A. key distribution to all mobility controllers
- B. 802.11 device location calculation
- C. CAPWAP tunnels termination
- D. central radio resource management tasks

Correct Answer: C

---

## QUESTION 5

In the Cisco Unified Wireless Network infrastructure, which combination of devices and/or features best accomplishes high availability?

- A. backup controllers and client SSO
- B. backup controllers and LAG
- C. N+1 and client state replication
- D. N+1 and backup controllers

Correct Answer: A

---

## QUESTION 6

Which three algorithms does Radio Resource Management use?

- A. Dynamic Channel Assignment, Transmit Power Control, Coverage Hole Detection
- B. CleanAir, Coverage Hole Detection, General Profile Threshold
- C. CleanAir, Transmit Power Control, General Profile Threshold
- D. CleanAir, Dynamic Channel Assignment, Rogue Location and Containment

Correct Answer: A

---

## QUESTION 7

Within Cisco ISE, which persona or node is responsible for enforcing policy?

- A. Policy Administration Node
- B. Guest Service persona
- C. Inline Posture Node
- D. Policy Service persona

Correct Answer: C

---

## QUESTION 8

A customer wants to dynamically monitor the status of a critical route. Which feature should you recommend that the customer use?

- A. Wireshark
- B. Embedded Event Manager
- C. IP Service Level Agreement
- D. Generic Online Diagnostics

Correct Answer: C

---

## QUESTION 9

When building the Security Group Egress Policy Matrix, what is the default policy regarding empty intersecting cells?

- A. enabled, SGACLs : permit IP
- B. enabled, SGACLs : deny IP
- C. disabled, SGACLs : permit IP
- D. disabled, SGACLs : deny IP

Correct Answer: A

---

## QUESTION 10

Which three components are part of a Unified Access solution? (Choose three.)

- A. One Policy (Cisco ISE)
- B. One Management (Cisco Prime)
- C. One Network (wired, wireless, VPN access)
- D. One Controller (Converged)
- E. One Solution
- F. One Security

Correct Answer: ABC

---

[500-451 PDF Dumps](#)

[500-451 Study Guide](#)

[500-451 Exam Questions](#)