

050-80-CASECURID01^{Q&As}

RSA SecurID Certified Administrator 8.0 Exam

Pass RSA 050-80-CASECURID01 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/050-80-casecurid01.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by RSA Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





https://www.leads4pass.com/050-80-casecurid01.html 2024 Latest leads4pass 050-80-CASECURID01 PDF and VCE dumps Download

QUESTION 1

A user complains that they have received seven `Access Denied\\' messages in a row when attempting to authenticate.

What would be an appropriate action to take?

- A. Change the token Lockout Policy
- B. Access the user record and unlock the user account
- C. Access the token record and resynchronize the token
- D. Instruct the user to attempt to log in to the Self-Service Console

Correct Answer: B

QUESTION 2

What are three minimal administrative steps that must be taken before a user can authenticate to a new RSA Authentication Manager deployment? (Choose three)

- A. Create a user group
- B. Create a user account
- C. Create a new user administrator
- D. Import a Node Secret from the Agent
- E. Create an Authentication Agent Record
- F. Assign an authentication method to a user

Correct Answer: BEF

QUESTION 3

Dynamic Seed Provisioning allows secure distribution of:

- A. Node Secret files to Authentication Agents.
- B. RSA SecurID hardware tokens to end users.
- C. Software token information to end user devices.
- D. Configuration information to Authentication Agents.

Correct Answer: C



https://www.leads4pass.com/050-80-casecurid01.html 2024 Latest leads4pass 050-80-CASECURID01 PDF and VCE dumps Download

QUESTION 4

If a Super Admin administrator can view a certain set of user records in the Authentication Manager database but a Help Desk administrator can NOT view the same records,

- A. the Help Desk administrator should be assigned a Super Admin role.
- B. the Help Desk administrator may not have the scope to view these users.
- C. the user accounts have been marked as "hidden" for Help Desk level administrators.
- D. the Help Desk administrator must be a member of the same Security Domain as the users to view them.

Correct Answer: B

QUESTION 5

Which statements concerning RSA SecurID time-synchronous authentication are true? (Choose two)

- A. On-demand codes have a 5-minute synchronization window.
- B. Token expiration dates are based on the date of the token\\'s first use.
- C. Calculation of a tokencode involves the use of Universal Coordinated Time.
- D. An administrator can configure the tokencode change interval on an RSA SecurID token.
- E. Tokencode calculations are performed by both the RSA Authentication Manager instance and RSA SecurID tokens.

Correct Answer: CE

<u>Latest</u>
<u>050-80-CASECURID01</u>
<u>Dumps</u>

050-80-CASECURID01 PDF Dumps 050-80-CASECURID01 VCE Dumps