

1Z0-034^{Q&As}

Upgrade Oracle9i/10g OCA to Oracle Database OCP

Pass Oracle 1Z0-034 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-034.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The database is running in the ARCHIVELOG mode. It has three redo log groups with one member each. One of the redo log groups has become corrupted. You have issued the following command during the recovery of a damaged redo log file:

```
ALTER DATABASE CLEAR UNARCHIVED LOGFILE GROUP 3;
```

Which action should you perform immediately after using this command?

- A. You should perform a log switch
- B. You should make a backup of the database
- C. You should switch the database to the NOARCHIVELOG mode
- D. You should shut down the database instance and perform a complete database recovery

Correct Answer: B

QUESTION 2

Consider the following scenario for your database:

Backup optimization is enabled in RMAN.

The recovery window is set to 7 days in RMAN.

The most recent backup to disk for the TOOLS tablespace was taken on November 3, 2007.

The TOOLS tablespace is read-only since November 4, 2007.

On November 23, 2007, you issue the RMAN command to back up the database to disk. Which statement is true regarding the backup of the TOOLS tablespace?

- A. The RMAN backup fails because the TOOLS tablespace is read-only
- B. The RMAN skips the backup of the tablespace because backup optimization is enabled
- C. The RMAN makes backup because optimization can be enabled only for backups to disk
- D. The RMAN makes the backup because no backup of the tablespace exists within the seven day window

Correct Answer: D

QUESTION 3

There was media failure and you decide to check the data files for block corruption. Which would you use to create a report on any corruptions found?

- A. the DBNEWID utility
- B. the DBVERIFY utility
- C. the ANALYZE command
- D. the RMAN REPORT command
- E. the RMAN CROSSCHECK command
- F. the CHECK_OBJECT procedure of the DBMS_REPAIR package

Correct Answer: B

QUESTION 4

The DB_BLOCK_CHECKING parameter is set to FALSE.

What level of block checking will be performed?

- A. The Oracle database will not perform block checking for any of the data blocks.
- B. The Oracle database will perform block checking for the default permanent tablespace only.
- C. The Oracle database will perform block checking for the data blocks in all user tablespaces.
- D. The Oracle database will perform block checking for the data blocks in the SYSTEM tablespace only.
- E. The Oracle database will perform block checking for the data blocks in the SYSTEM and SYSAUX tablespaces.

Correct Answer: D

QUESTION 5

What two are the prerequisites for enabling Flashback Database?

- A. The database must be in ARCHIVELOG mode
- B. The database must be in MOUNT EXCLUSIVE mode
- C. The database must be opened in RESTRICTED mode
- D. The database instance must be started in the NOMOUNT state
- E. The database instance must have the keep buffer pool defined

Correct Answer: AB

[1Z0-034 PDF Dumps](#)

[1Z0-034 VCE Dumps](#)

[1Z0-034 Braindumps](#)