

1Z0-1104-22^{Q&As}

Oracle Cloud Infrastructure 2022 Security Professional

Pass Oracle 1Z0-1104-22 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-1104-22.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the matching rule syntax for a single condition?

- A. any| all { <condition>,<condition>,... }
- B. instance.compartment.id = '<compartment_ocid>'
- C. variable =|!= 'value'
- D. Any {instance.compartment.id = '<compartment_ocid>', instance.compartment.id = '<compartment_ocid>'}

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: C

Writing Matching Rules to Define Dynamic Groups

Matching rules define the resources that belong to the dynamic group. In the Console, you can either enter the rule manually in the provided text box, or you can use the [rule builder](#). The rule builder lets you make selections and entries in a dialog, then writes the rule for you, based on your entries.

You can define the members of the dynamic group based on the following:

- compartment ID - include (or exclude) the instances that reside in that compartment based on compartment OCID
- instance ID - include (or exclude) an instance based on its instance OCID
- tag namespace and tag key - include (or exclude) instances tagged with a specific tag namespace and tag key. All tag values are included. For example, include all instances tagged the with tag namespace `department` and the tag key `operations`.
- tag namespace, tag key, and tag value - include (or exclude) instances tagged with a specific value for the tag namespace and tag key. For example include all instances tagged with the tag namespace `department` and the tag key `operations` and with the value `'45'`.

A matching rule has the following syntax:

For a single condition:

```
variable =|!= 'value'
```

QUESTION 2

Which of the following is necessary step when creating a secret in vault?

- A. Vault-managed key is necessary to encrypt the secret
- B. Digest Hash should be created of the secret value
- C. Object Storage must be created to run secret service
- D. Shamir's secret sharing algorithm should be used to unseal the vault

Correct Answer: A

<https://docs.oracle.com/en/database/other-databases/essbase/21/essad/create-vault-and-secrets.html>

QUESTION 3

Which WAF service component must be configured to allow, block, or log network requests when they meet specified criteria?

- A. Protection rules
- B. Bot Management
- C. Origin
- D. Web Application Firewall policy

Correct Answer: A

Protection rules

Protection rules can be configured to either allow, block, or log network requests when they meet the specified criteria of a protection rule. The WAF will observe traffic to your web application over time and suggest new rules to apply.

<https://www.oracle.com/security/cloud-security/what-is-waf/>

QUESTION 4

Where are logs stored?

- A. OCI Object Storage
- B. OCI File Storage
- C. OCI Block Storage
- D. Cloud Agent

Correct Answer: A

You can collect log data continuously from Oracle Cloud Infrastructure (OCI) Object Storage. To enable the log collection, create ObjectCollectionRule resource using REST API or CLI. After the successful creation of this resource and having the required IAM policies, the log collection will be initiated.

<https://docs.oracle.com/en-us/iaas/logging-analytics/doc/collect-logs-your-oci-object-storage-bucket.html>

QUESTION 5

Which Oracle Data Safe feature minimizes the amount of personal data and allows internal test, development, and analytics teams to operate with reduced risk?

- A. data auditing
- B. data encryption
- C. security assessment
- D. data masking
- E. data discovery

Correct Answer: D

[1Z0-1104-22 PDF Dumps](#)

[1Z0-1104-22 Practice Test](#)

[1Z0-1104-22 Study Guide](#)