

# 1Z0-338<sup>Q&As</sup>

Oracle Exadata Database Machine and Cloud Service 2017
Implementation Essentials

## Pass Oracle 1Z0-338 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/1z0-338.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





#### **QUESTION 1**

The Exadata compute node, exadbs04, has been having issues for some time. The server had to be repaired and you just received a new server. Your LVM snapshot was corrupt and now the compute node must be re-imaged with an Oracle Support installation image.

Which three tasks must be performed in order to re-image the compute node? (Choose three.)

- A. Create a CELLBOOT USB Flash Drive by using an external USB drive.
- B. Mount the LVM backup image across the network and recover the system.
- C. Remove exadbs04 from the RAC cluster and all associated Oracle Homes from the central inventory.
- D. Reboot the new server by using a bootable recovery image from the external USB drive.
- E. Reconfigure all site-specific settings (host name, IP addresses, NTP server, and so on).

Correct Answer: CDE

#### **QUESTION 2**

Which statement is true about the Exadata CELLBOOT USB?

- A. Each patch that is performed on the Exadata storage servers requires manual resync of the CELLBOOT USB.
- B. Some space from the CELLBOOT USB is used for cache metadata when write-back flash cache is enabled.
- C. Regular Exadata storage server patches make sure that the internal USB is updated so that it can be used for recovery.
- D. Exadata automatically copies OS binaries and configuration files from another cell during patching to sync the internal USB.
- E. changes to network configuration ?les are possible without using ipconf.p1 as long as all the relevant files are updated.

Correct Answer: C

#### **QUESTION 3**

Oracle Configuration Manager is the key to the proactive capabilities of MyOracle Support. Which three statements describe OCM? (Choose three.)

- A. It is used to collect configuration details and upload them to the management repository.
- B. Configuration collection happens once an hour.



### https://www.leads4pass.com/1z0-338.html

2024 Latest leads4pass 1Z0-338 PDF and VCE dumps Download

- C. A customer can associate an SR to their configuration data to reduce issue resolution time.
- D. Oracle Base, ASM, and GRID home must have the same owner for installation to work.
- E. Configuration collection occurs every 24 hours.

Correct Answer: ACE

#### **QUESTION 4**

What are three ways to be informed of an Exadata Storage Sever disk failure? (Choose three.)

- A. review of the database server iostat output
- B. alert notifications through email when SMTP notification is configured
- C. review of the ILOM log
- D. review of the output of LIST ALERTHISTORY
- E. review of the output of SELECT STATUS FROM V\$DATAFILE
- F. alert notifications in the Enterprise Manager Exadata Plug-In

Correct Answer: BDF

#### **QUESTION 5**

Your customer wants to load source information into a database. The source files are generated on a remote HP-UX system and need to be written to the Exadata system. The ideal solution would be to use a remote file system where an ACFS file system is exported to the HP-UX system.

Which three options are supported using ACFS on Exadata 12.1.0.2 and later?

- A. SAMBA
- B. NFS
- C. HANFS
- D. DBFS
- E. ACFS is not supported on Exadata

Correct Answer: ABD



https://www.leads4pass.com/1z0-338.html 2024 Latest leads4pass 1Z0-338 PDF and VCE dumps Download

1Z0-338 Practice Test

1Z0-338 Exam Questions

1Z0-338 Braindumps