

# 1Z0-869<sup>Q&As</sup>

Java Mobile Edition 1 Mobile Application Developer Certified  
Professional Exam

## Pass Oracle 1Z0-869 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-869.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

GSM defines two mechanisms for SMS message concatenation. Which is true?

- A. JTWI devices may implement either mechanism for sent messages, and must implement both mechanisms for received messages.
- B. JTWI devices must implement both mechanisms for sent messages, and may implement either mechanism for received messages.
- C. JTWI devices must implement both mechanisms for sent and received messages.
- D. JTWI devices may implement either mechanism for sent and received messages.

Correct Answer: A

---

## QUESTION 2

Which is true regarding the `javax.wireless.messaging` package?

- A. Message objects are assumed always to be blocks of binary data.
- B. The messaging protocols that use this API are typically store-and-forward.
- C. This API is designed to run exclusively on the GSM SMS protocol.
- D. Messages are usually lost if the recipient is not connected at the time of sending.

Correct Answer: B

---

## QUESTION 3

What is the minimum number of simultaneously running threads that a JTWI 1.0 device must support for each MIDlet suite?

- A. 3
- B. two running threads for each class of the MIDlet suite
- C. 1
- D. 10

Correct Answer: D

---

## QUESTION 4

The binding of networking protocols to a MIDlet at runtime can be compared to a type of relationship. Which relationship most closely matches the binding?

- A. caller and callee
- B. mark and sweep
- C. application and device drivers
- D. specification and implementation

Correct Answer: C

---

## QUESTION 5

Which two are true about JTWI devices using SMS? (Choose two.)

- A. The payload for an SMS message can use the BinaryMessage interface.
- B. A message which is too big to be sent in a single segment is NOT guaranteed to have its segments arrive at the application in the order in which they were sent.
- C. Multiple messages sent from point A to point B are NOT guaranteed to be delivered in the order in which they were sent.
- D. Java applications are restricted to using port numbers between 2000 and 9207.
- E. The payload for an SMS message segment CANNOT exceed 140 bytes.

Correct Answer: AC

[Latest 1Z0-869 Dumps](#)

[1Z0-869 VCE Dumps](#)

[1Z0-869 Study Guide](#)