

1Z0-882^{Q&As}

MySQL 5.6 Developer

Pass Oracle 1Z0-882 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-882.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1


Which two code samples demonstrate valid methods for working with loops?

- A. DECLARE I INT DEFAULT 0; Test_loop: LOOP SET i =i +1; IF i > =5 THEN LEAVE test_loop; END IF; END LOOP test_loop;
- B. DECLARE i INT DEFAULT 0; WHILE I
- C. DECLARE i INT DEFAULT 0; WHILE i
- D. DECLARE i INT DEFAULT 0; Test_loop; LOOP SET i =i +1; IF i >=5 THEN LEAVE; END IF; END LOOP test_loop;

Correct Answer: C

QUESTION 2

The contents of the parent and child tables are:



```
parent
+-----+
|  id  |
+-----+
|  1   |
|  2   |
|  3   |
+-----+

child
+-----+-----+
|  id  | parent_id |
+-----+-----+
|  1   | 1         |
|  2   | 1         |
|  3   | 2         |
|  4   | 2         |
|  5   | 3         |
|  6   | 3         |
+-----+-----+
```

The child table has the parent_id column that has a foreign key constraint to the id column of the parent table with ON DELETE CASCADE clause.

Consider the command WHERE id =1;

What is the effect of the above command?

- A. It does not delete anything from any table but returns an error.
- B. It deletes one row from the parent table but does not affect the child table.
- C. It deletes one row from the parent table and two rows from the child table.

D. It deletes one row from the parent table and sets the parent _id column to NULL in the child.

Correct Answer: A

QUESTION 3

Which three connector/J connection strings can be used to connect to the MYSQL server?

- A. Jdbc:mysql://localhost/test?user =xxxandpassword=xxx
- B. Jdbc :mysqli://localhost/test?user=xxxandpassword=xxx
- C. Jdbc :mysql:replication://master,slave1.slave2. /test?user=xxxandpassword=xxx
- D. Jdbc:mysql:proxy://localhost/test?user=xxxandpassword=xxx
- E. Jdbc :mysql:loadbalance://master.slave1,slave2/test?user=xxxandpassword=xxx

Correct Answer: ACE

QUESTION 4

Consider the CREATE FUNCTION statement:

```
CREATE FUNCTION countrycount ()  
  
BEGIN  
  
DECLARE count INT;  
  
SELECT COUNT (*) INTO count FROM country;  
  
RETURN count ;  
  
END
```

What is the outcome when you try to create the function?

- A. An error results as the SELECT must assign the return values to a user variable.
- B. An error results as the count variable is not initialized with a value.
- C. An error result as the function must be defined with the CONTAINS SQL clause.
- D. An error result as the variable type returned by the function must be defined with a RETURNS clause.

Correct Answer: D

QUESTION 5

Which two PHP modules provide APIs for developing MYSQL applications?

- A. Mysqli
- B. Mysqlnd
- C. PDO
- D. PDO_mysql

Correct Answer: AC

[1Z0-882 PDF Dumps](#)

[1Z0-882 VCE Dumps](#)

[1Z0-882 Study Guide](#)