

1Z0-932^{Q&As}

Oracle Cloud Infrastructure 2018 Architect Associate

Pass Oracle 1Z0-932 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/1z0-932.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Oracle
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which two statements are true about restoring a block volume from a manual or policy-based block volume backup? (Choose two.)

- A. It can be restored as new volumes with different sizes from the backups
- B. It can be restored as a new volume to any AD across different regions
- C. It must be restored as a new volume to the same availability domain (AD) on which the original block volume backup resides
- D. It can be restored as a new volume to any AD in the same region

Correct Answer: AC

Reference: <https://cloud.oracle.com/storage/block-volume/faq>

QUESTION 2

You deployed a compute instance (VM.Standard2.16) to run a SQL database. After a few weeks, you need to increase disk performance by using NVMe disks; the number of CPUs will not change. As a first step you terminate the instance and preserve the boot volume.

What is the next step?

- A. Create a new instance using a VM.DenseIO2.16 shape using the preserved boot volume and move the SQL Database data to block volume
- B. Create a new instance using a VM.DenseIO2.8 shape using the preserved boot volume and move the SQL Database data to NVMe disks
- C. Create a new instance using a VM.Standard1.16 shape using the preserved boot volume and move the SQL Database data to NVMe disks
- D. Create a new instance using a VM.DenseIO2.16 shape using the preserved boot volume move the SQL Database data to NVMe disks

Correct Answer: A

QUESTION 3

Which two parameters are required in a back end set's HTTP health check? (Choose two.)

- A. response body
- B. URL path
- C. timeout

D. port

E. status code

Correct Answer: AC

QUESTION 4

You are an administrator with an application running on OCI. The company has a fleet of OCI compute virtual instances behind an OCI Load Balancer. The OCI Load Balancer Backend Set health check API is providing a `Critical` level warning. You have confirmed that your application is running healthy on the backend servers.

What is the possible reason for this `Critical` warning?

A. A user does not have correct IAM credentials on the Backend Servers.

B. The Backend Server VCN's Route Table does not include the route for OCI LB.

C. OCI Load Balancer Listener is not configured correctly.

D. The Backend Server VCN's Security List does not include the IP range for the source of the health check requests.

Correct Answer: D

Reference: <https://docs.cloud.oracle.com/iaas/Content/Balance/Tasks/editinghealthcheck.htm>

QUESTION 5

Which two statements are true about an Oracle Cloud Infrastructure object storage bucket? (Choose two.)

A. You can associate a bucket with multiple compartments

B. You cannot change a bucket from private to public after it is created

C. You can associate a bucket with only a single compartment

D. You cannot edit or append data to an object, but you can replace the entire object

Correct Answer: CD

Reference: <https://docs.cloud.oracle.com/iaas/Content/Object/Tasks/managingbuckets.htm>

[1Z0-932 PDF Dumps](#)

[1Z0-932 VCE Dumps](#)

[1Z0-932 Practice Test](#)