

# 600-212<sup>Q&As</sup>

Implementing Cisco Service Provider Mobility LTE Networks

## Pass Cisco 600-212 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/600-212.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers



## QUESTION 1

Which option describes the flow of the S6a configuration on the Cisco ASR 5000 system?

- A. MME-service, hss-peer-service, diameter endpoint, peer configuration
- B. MME-service, diameter endpoint, hss-peer-service, peer configuration
- C. MME-service, diameter endpoint, S6a-service, peer configuration
- D. s6a-service, hss-peer-service, diameter endpoint, peer configuration

Correct Answer: A

---

## QUESTION 2

Which two commands must be configured within the PGW-Service on the Cisco ASR 5000 PGW to enable the S6b interface and provide support for I-RAT handovers between the 3GPP and non-3GPP access? (Choose two.)

- A. interface-type interface-pgw-ingress
- B. authorize-with-hss
- C. aaa group aaa group name
- D. associate egtp-service egtp service name lma-service lma-service name
- E. gtpc bind ipv4-address IPv4 address

Correct Answer: BD

---

## QUESTION 3

Which option is the value of the AVP Auth-Application-ID for the Gy interface?

- A. 17
- B. 4
- C. 38
- D. 13

Correct Answer: B

---

## QUESTION 4

Which description of TACACS+ administrator authentication and authorization on the Cisco ASR 5000 is true?

- A. The Cisco ASR 5000 uses a privilege-level attribute value pair to restrict users to command sets that correspond to their assigned administrative role.
- B. The Cisco ASR 5000 uses a privilege-level information element to restrict users to command sets that correspond to their assigned administrative role.
- C. The Cisco ASR 5000 uses an administrator-level attribute value pair to restrict users to command sets that correspond to their assigned administrative role.
- D. The Cisco ASR 5000 uses an administrator-level information element to restrict users to command sets that correspond to their assigned administrative role.

Correct Answer: A

---

## QUESTION 5

Which types can be classified as bulk stats on the Cisco ASR 5000?

- A. Counter, Gauge, Information
- B. Gauge, Counter, Iterative
- C. Circular, Gauge, Counter
- D. Watermark, Counter, Gauge

Correct Answer: A

[600-212 PDF Dumps](#)

[600-212 Study Guide](#)

[600-212 Exam Questions](#)