

640-911^{Q&As}

Introducing Cisco Data Center Networking (Retired)

Pass Cisco 640-911 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/640-911.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



https://www.lead4pass.com/640-911.html

QUESTION 1

What are two advantages of employing an external router for inter-VLAN routing over an IEEE 802.1Q trunk link? (Choose two.)

- A. Layer 3 functionality is not required on the switch.
- B. The router facilitates communication between VLANs.
- C. The single traffic path is optimized.
- D. Latency is reduced as packets leave the switch.
- E. Equal-Cost Multipath is supported.

Correct Answer: AB

QUESTION 2

Which Cisco data center switch can support a 4-RU physical space requirement and also support FEX, Layer 2 and Layer 3, converged FCoE, and up to ninety- six 40-Gigabit Ethernet ports?

- A. Cisco Nexus 5548 Switch
- B. Cisco Nexus 5010 Switch
- C. Cisco Nexus 1010 Switch
- D. Cisco Nexus 7004 Switch
- E. Cisco Nexus 6004 Switch

Correct Answer: E

QUESTION 3

What are three characteristics of the Ethernet access method CSMA/CD? (Choose three.)

- A. It allows many stations access to the same wire.
- B. It provides segmentation of a LAN.
- C. It allows a transmitting station to detect activity on the wire.
- D. It allows for detection of collisions on the wire.
- E. It provides broadcast capability on the wire.

Correct Answer: ACD

QUESTION 4

```
INIT: Sending processes the TERM signal
INIT: Sending processes the KILL signal
switch (boot) #
            Jan 21 2015 02:10:17
                                   admin.rc.cli
  175020165
             Jan 21 2015 12:09:09
                                   kickstart-latest
        956
            Dec 22 2010 12:33:39
                                   license SSI134612R3 3.lic
            Oct 13 2014 12:46:51
                                   lost+found/
      4096
                                   n5000-uk9-kickstart.5.2.1.N1.4.bin
  34382848 Apr 24 2013 19:09:32
                                   n5000-uk9.5.2.1.N1.4.bin
  175020165
            Apr 24 2013 19:10:11
                                   p13n5k1-npv.lic
       340
            Feb 14 2013 04:43:05
                                   p13n5k1-stor.lic
        577
            Feb 14 2013 04:39:41
            Feb 14 2013 04:41:09
                                   pl3n5k1-vmfex.lic
       342
  34382848
            Jan 21 2015 12:06:06
                                   system-latest
            Jan 01 2009 12:28:03
       4096
                                   vdc 2/
            Jan 01 2009 12:28:03
      4096
                                   vdc 3/
            Jan 01 2009 12:28:03
       4096
                                   vdc 4/
       4096
             Feb 14 2013/18:04:53
                                   virt strg pool bf/
        604
             Oct 13 2014 03:36:48
                                   vlan.dat
Usage for bootflash filesystem
 565579776 bytes used
 1085325312 bytes free
 1650905088 bytes total
```

Refer to the exhibit. Which command allows the Cisco Nexus 5000 switch to continue to start up?

- A. switch(boot)# load n5000-uk9.5.2.1.N1.4.bin
- B. switch(boot)# configure terminalswitch(boot-config)# admin-password Cisco123
- C. switch(boot)# load n5000-uk9-kickstart.5.2.1.N1.4.bin
- D. switch(boot)# load system-latest

Correct Answer: A

QUESTION 5

The kickstart image is corrupted on a Cisco Nexus 7000 switch. Which procedure is used to download a new kickstart image?

- A. Boot the system and press Ctrl-] while the memory test is in progress to interrupt the boot loader.
- B. Boot the system and press the Esc key while the memory test is in progress to interrupt the boot loader.



https://www.lead4pass.com/640-911.html

2021 Latest lead4pass 640-911 PDF and VCE dumps Download

- C. Boot the system and press the Esc key after the BIOS memory test to interrupt the boot loader.
- D. Boot the system and press Ctrl-] after the BIOS memory test to interrupt the boot loader.

Correct Answer: C

640-911 VCE Dumps

640-911 Practice Test

640-911 Exam Questions



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.