

## 76940X<sup>Q&As</sup>

Avaya Converged Platform Support

### Pass Avaya 76940X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/76940x.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

While configuring the MSC to use NTP you see the NTP syncing fail.

What is the most common cause of this problem?

- A. VMware is not supporting NTP.
- B. The VSPs are rejecting the NTP messages.
- C. The NTP server is installed outside of the ACP 4200.
- D. The customer has a firewall between the MSC and the customer's NTP server.

Correct Answer: B

---

## QUESTION 2

Which command will verify VSP adjacencies?

- A. set isis adjacencies
- B. show isis adjacencies
- C. show isis routes
- D. show ospf routes

Correct Answer: B

Reference: <https://downloads.avaya.com/css/P8/documents/100180474> (990)

---

## QUESTION 3

What is the primary purpose or function of Enterprise Device Manager (EDM)?

- A. EDM provides an interface for administrator to monitor the health of the Nimble Storage array in a single pane and allows them to make changes to storage, protection, access, and performance configuration.
- B. EDM provides access to HP Proliant Servers' out-of-band management facilities. It allows for control and monitoring of HP servers.
- C. EDM is the device management software application for Extreme Network's VSP platforms.
- D. EDM provides a robust web interface which allows for monitoring of the ServerTech PDU and control of its individual power outlet.

Correct Answer: C

---

## QUESTION 4

A support engineer is upgrading a PodFX 3.1 system to ACP 4200 4.0, and is upgrading the Extreme Network VSP switches to release 7.1.

Which two applications available on the on the MSC would the engineer typically use for the upgrade process? (Choose two.)

- A. Avaya Orchestrator
- B. PuTTY
- C. WinSCP
- D. Enterprise Device Manager

Correct Answer: AD

---

## QUESTION 5

To use the Management Server Console (MSC) as their time source, how would the engineer configure the ESXi hosts?

- A. Login to the MSC, run the time \_configuration.bat script.
- B. Login to the MSC, set Services > Time configuration > NTP Clients = IP addresses of the ESXi hosts.
- C. Login to the ESXi Hosts using the CLI, run the time\_configuration.sh script.
- D. Login to vCenter server using the Web UI, set host > manage > Time configuration = IP address of the MSC.

Correct Answer: B

Reference: <https://downloads.avaya.com/css/P8/documents/101054946> (90)

[Latest 76940X Dumps](#)

[76940X PDF Dumps](#)

[76940X Exam Questions](#)