

ACMP_6.3^{Q&As}

Aruba Certified Mobility Professional 6.3

Pass Aruba ACMP_6.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/acmp-6-3.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which parameter(s) does a Master controller use to determine where a provisioned AP should terminate its GRE tunnel?

- A. the IP address of the AP
- B. the MAC address of the AP
- C. the IP address of the switch nearest to the AP
- D. the name and group settings of the AP
- E. the VLAN the AP is attached to

Correct Answer: D

QUESTION 2

Which of the following licenses are consumed by Mesh APs advertising an SSIDs?

- A. AP license
- B. Mesh license
- C. PEF-V license
- D. No license is required
- E. RAP License

Correct Answer: A

QUESTION 3

What can an AM do that an AP cannot do?

- A. Detect rogue APs
- B. Detect an AP failure
- C. Scans all channels in under 1 minute
- D. Detect interfering APs
- E. Scan all valid channels

Correct Answer: C

QUESTION 4

The Aruba Policy Enforcement Firewall (PEF) module supports source network address translation (srcnat).

Which is a use of this statement in an Aruba configuration?

- A. Provide a single source IP address for users in a role
- B. Redirect Captive Portal HTTP sessions
- C. Redirect Access Points to another Aruba controller
- D. Provide IP addresses to clients
- E. Redirects clients to Aruba Firewall

Correct Answer: A

QUESTION 5

The screen captures below show the 802.1X authentication profile and AAA profile settings for a VAP.

AAA Profile > default

Show Reference

Save As

Reset

Initial role	logon
MAC Authentication Default Role	guest
802.1X Authentication Default Role	employee
L2 Authentication Fail Through	<input type="checkbox"/>
User idle timeout	<input type="checkbox"/> Enable seconds <input type="text"/>
RADIUS Interim Accounting	<input type="checkbox"/>
User derivation rules	--NONE--
Wired to Wireless Roaming	<input checked="" type="checkbox"/>
SIP authentication role	--NONE--
Device Type Classification	<input checked="" type="checkbox"/>
Enforce DHCP	<input type="checkbox"/>

802.1X Authentication Profile > default

Show Reference

Save As

Reset

Basic **Advanced**

Max authentication failures	<input type="text" value="0"/>
Enforce Machine Authentication	<input checked="" type="checkbox"/>
Machine Authentication: Default Machine Role	guest
Machine Authentication: Default User Role	guest
Reauthentication	<input type="checkbox"/>
Termination	<input type="checkbox"/>
Termination EAP-Type	<input type="checkbox"/> eap-tls <input type="checkbox"/> eap-peap
Termination Inner EAP-Type	<input type="checkbox"/> eap-mschapv2 <input type="checkbox"/> eap-gtc

If machine authentication fails and user authentication passes, which role will be assigned?

- A. employee
- B. guest
- C. contractor
- D. logon
- E. no role is assigned

Correct Answer: B

[Latest ACMP 6.3 Dumps](#)

[ACMP 6.3 PDF Dumps](#)

[ACMP 6.3 Braindumps](#)