

AD0-E103^{Q&As}

Adobe Experience Manager Developer

Pass Adobe AD0-E103 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ad0-e103.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

In which maven build phase is the content package assembled?

- A. compile
- B. deploy
- C. package
- D. install

Correct Answer: A

Reference: <http://adamcin.net/vltpack-maven-plugin/>

QUESTION 2

A developer developed a workflow that makes a copy of every node created or modified under a certain path to a different one. The workflow launches but the nodes are not copied over.

Which two methods should the developer use to resolve this issue? (Choose two.)

- A. Go to Workflow Failures screen and check if any instances of the workflow are present.
- B. Go to Workflow instances screen and verify that the instance of the workflow is present and check its status.
- C. Go to Package Manager screen and reinstall the bundle that contains the workflow so it restarts.
- D. Go to Workflow Models screen, then delete and recreate the workflow.
- E. Go to Workflow Launchers and create a new launcher for the workflow even if one already exists.

Correct Answer: BD

QUESTION 3

A developer wants to extend AEM Core Components to create a custom Carousel Component. How should the developer extend the Core Components?

- A. Make changes to the original component and assign a component group.
- B. Use the sling:resourceSuperType property to point to the core component.
- C. Use the sling:resourceType property to point to the core component.
- D. Copy the Core Carousel component to /apps/ folder.

Correct Answer: D

QUESTION 4

A developer is creating a new OSGi bundle `com.custom.package.b` to expose new services. `com.custom.package.a` is already installed and active in the system and has the following package definition:

```
Export-Package: com.custom.package.a;version="2.0"  
Import-Package: com.sample.package.a;version="[1,2)"  
Classpath: .,com.sample.package.b-3.0.jar
```

The system console shows the following package availability:

```
com.sample.package.a;version="1.5"  
com.sample.package.c;version="3.0"
```

Bundle `com.custom.package.b` to be installed has the following package definition:

```
Export-Package: com.custom.package.b;version="1.0"  
Import-Package: com.custom.package.a;version="[1,2)", com.sample.package.b;version="[3.0,3.0)", com.sample.package.c;version="[2,3)
```

What will happen when the developer uploads the bundle `com.custom.package.b` into the system?

- A. The bundle will install but fail the activation due to unsatisfied dependencies `com.sample.package.b` and `com.sample.package.c`.
- B. The bundle will install but fail the activation due to unsatisfied dependency `com.sample.package.c`.
- C. The bundle will install and activate successfully.
- D. The bundle will install but fail the activation due to unsatisfied dependency `com.sample.package.b`.

Correct Answer: A

QUESTION 5

A developer is creating a custom method. This method must return a String property `y` from child `x`. the method must use only Sling APIs.

How should the developer retrieve property `y` of node `x`, and node `x` may or may NOT exist?

- A.

```
String y = ((ValueMap<String, String>) resource.getChild("x").getValueMap()).get("y", "");
```
- B.

```
String y = null;
Resource x = resource.getChild("x");
if (null!=x) {
    ValueMap<String> map = x.getValueMap();
    if (null!=map) {
        y = map.get("y", "");
    }
}
```
- C.

```
String y = null;
Node x = node.getNode("x");
if (null!=x) {
    Properties<Strings, String> properties = x.getProperties();
    if (null!=properties) {
        y = properties.get("y", "");
    }
}
```
- D.

```
String y = null;
Node x = node.getNode("x");
if (null!=x) {
    ValueMap<Strings, String> map = x.getValueMap();
    if (null!=map) {
        y = map.get("y", "");
    }
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A