# **AD0-E600**<sup>Q&As</sup>

Adobe Experience Platform Technical Foundations

# Pass Adobe AD0-E600 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/ad0-e600.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



## https://www.leads4pass.com/ad0-e600.html 2024 Latest leads4pass AD0-E600 PDF and VCE dumps Download



#### **QUESTION 1**

A data architect creates two XDM schemas: Schema A and Schema B.

What are the two requirements for defining a schema relationship so that Schema A references Schema B for use in segmentation? (Choose two.)

- A. Schema A and Schema 6 must each be enabled for Real-time Customer Profile.
- B. Schema A and Schema B must each have a primary identity.
- C. Schema A must belong to the same schema class as Schema B.
- D. Schema A and Schema B must each have datasets associated with them.
- E. Both schemas should have the same fields marked as identities.

Correct Answer: BD

#### **QUESTION 2**

A data engineer is ingesting time-series data in CSV format from a CRM system. The source data contains a "subscription" field that contains what level of subscription the customer has purchased.

The data is ingested into a target field called "subscriptionLevel". which is an enum field that accepts the following values: "Lite\*. "Standard", and "Pro\\'\\'.

The data engineer knows that the CSV files contain some rows that do not conform to the above enum. Instead of rejecting those rows, the data engineer wants to transform non- conforming fields to "Standard".

Which mapping function(s) will accomplish this?

- A. iif(subscription.equals("Lite") and and subscription vequ3ls("Standard") and and subscription.eqoals("Pro"). subscription. el\$e("5tandard"))
- B. iif(subscription.noiEquals(\*Lite" || "Standard" || "Pro"), subscription, subscription, replacestrf "Standard"))
- C. iif(subscription.notEquals("Lite") || subscription.notEqualsl "Standard") || subscription.notEquatsCPro\\'). \\'Standard\\\', subscription)
- D. iif(subscription.equals("Lite") || subscription.equals("Standard") || subscriptionequalsfPro"). subscription. "Standard")

Correct Answer: A

#### **QUESTION 3**

A data engineer exports segmented Real-time Customer Profile data to a new dataset called "Profile Export". The data engineer needs to directly download the data from the Profile Export dataset using the Data Access API. Which file format is supported for this use case?

A. JSON



# https://www.leads4pass.com/ad0-e600.html

2024 Latest leads4pass AD0-E600 PDF and VCE dumps Download

- B. CSV
- C. Parquet
- D. Blob

Correct Answer: A

#### **QUESTION 4**

What is model scoring in the Data Science Workspace?

- A. Building and evaluating a model
- B. Engineering features for a model
- C. Building a recipe
- D. Applying a model to a data set

Correct Answer: D

### **QUESTION 5**

A data engineer is required to partially ingest data via a Source Connector. Which three source connectors are permitted for this task? (Choose three.)

- A. FTP/SFTP
- B. HTTP API
- C. Adobe Analytics
- D. Azure Blob Storage
- E. Microsoft Dynamics
- F. Web SDK

Correct Answer: ADE

Latest AD0-E600 Dumps

AD0-E600 VCE Dumps

**AD0-E600 Practice Test**