

C2180-272^{Q&As}

IBM WebSphere Message Broker V8.0 Solution Development

Pass IBM C2180-272 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.lead4pass.com/C2180-272.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

In the figure, Project1 is a Message Broker Project that contains two message flows, Flow1 and Flow2. Project1 references Lib1 library. Flow1 and Flow2 use Error_handler subflow. The solution developer created two BAR files, Flow1Artifacts.bar for Flow1 and Flow2Artifacts.bar for Flow2 artifacts, and deployed the two BAR files to the same execution group.



After deployment, a defect is found in Flow2 and the solution developer adds more logging information to the Error_handler subflow to better understand the issue. The solution developer then rebuilds the BAR file Flow2Artifacts.bar and deploys it. What is the expected outcome?

- A. Flow2 captures the changes and Flow1 generates a runtime exception.
- B. Flow1 captures the changes and Flow2 generates a runtime exception.
- C. Flow1 and Flow2 capture the new Error_handler subflow logging information.
- D. Only Flow2 captures the changes and Flow1 continues to use the old Error_handler subflow logging information.

Correct Answer: C

QUESTION 2

A company has its own internal application App1 which exposes its products price catalog to its clients via MQ transport protocol. The company needs to build a new proxy mediation application using Message Broker to expose its service to



https://www.lead4pass.com/C2180-272.html

2021 Latest lead4pass C2180-272 PDF and VCE dumps Download

external clients. The suggested mediation flow would accept the request from different clients, route the request to App1 and send the response back to the requesting client where each client has its own target queue. Which built-in pattern should the solution developer use to achieve this?

- A. Message Request Response Correlator
- B. Service Proxy: static endpoint pattern
- C. Service Access from WebSphere MQ
- D. Service Facade to WebSphere MQ: request-response pattern

Correct Answer: A

QUESTION 3

A solution developer needs to implement Web Services Reliable Messaging (WS-RM) on a message flow for a stock trading company. During unit testing, the solution developer determines that only the first of four messages, expected in order, have arrived at the destination. During troubleshooting, what conclusion must the solution developer come to?

- A. The second message in the sequence is lost, and so the third and fourth messages have not processed yet.
- B. The sequence number of message two has got out of sync and a reset needs to occur to allow the other messages to flow to their target.
- C. The data of message two is corrupt not allowing message three or four to be processed and those messages are sitting on the reliable messaging source queue.
- D. The data of message two is corrupt not allowing message three or four to be processed and those messages are sitting on the reliable messaging destination queue.

Correct Answer: A

QUESTION 4

A solution developer is setting up Message Broker for debugging flows. There is a need to set the JVM debug port to 2314 from command line for a specific execution group called "MDM" and a broker called "WMBBRK1". Which command does the solution developer need to use?

- A. mqsichangebroker WMBBRK1 -e MDM -o ComIbmJVMManager -n jvmDebugPort -v 2314
- B. mqsireportproperties WMBBRK1 -e MDM -i ComlbmJVMManager -n jvmDebugPort -v 2314
- C. mqsichangeproperties WMBBRK1 -e MDM -o ComlbmJVMManager -n jvmDebugPort -v 2314
- D. mqsichangeproperties WMBBRK1 -e MDM -i ComlbmJVMManager -n jvmDebugPort -v 2314

Correct Answer: C

QUESTION 5



https://www.lead4pass.com/C2180-272.html

2021 Latest lead4pass C2180-272 PDF and VCE dumps Download

A bank uses Process Server to implement a supervisor based, credit line approval process. Once initiated, the process does not return a response. This Process Server workflow needs to be started every time the Message Broker receives a new credit increase transaction. To implement this requirement, a solution developer can design a message flow that uses:

- A. Publication Node
- B. SCARequest Node
- C. a combination of SOAPAsyncRequest and SOAPAsyncResponse
- D. JavaCompute Node to invoke the process flow JAR files that are generated

Correct Answer: B

C2180-272 Practice Test

C2180-272 Exam Questions

C2180-272 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.lead4pass.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.