

# C\_HANADEV\_17<sup>Q&As</sup>

SAP Certified Development Associate - SAP HANA 2.0 SPS05

## Pass SAP C\_HANADEV\_17 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.leads4pass.com/c\\_hanadev\\_17.html](https://www.leads4pass.com/c_hanadev_17.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

You need to synchronize all unsynchronized changes in your local Git branch to a remote Git branch. Which operation do you use?

- A. Pull
- B. Rebase
- C. Push
- D. Reset

Correct Answer: C

---

**QUESTION 2**

You define exception handling in a SQLScript procedure. What can you use declare exit handlers for? Note: There are 2 correct answers to this question.

- A. Specific SQL error codes
- B. Specific SQL conditions
- C. Generic SQL conditions
- D. Generic SQL exceptions

Correct Answer: AB

---

**QUESTION 3**

To perform a specific task of an XS advanced application, what does a user need? Please choose the correct answer.

- A. To have directly assigned a Scope
- B. To have directly assigned a Role Collection
- C. To be assigned to a Space
- D. To be assigned to an Organization

Correct Answer: B

---

**QUESTION 4**

Which of the following are characteristics of SAPU15? Note; There are 3 correct answers to this question.

- A. Provides device-specific user experience
- B. Supports customer-specific theming
- C. Provides an extensibility concept
- D. Enables responsive application design
- E. Renders the UI on server side

Correct Answer: BCD

---

## QUESTION 5

In an SQLScript procedure, which feature do you use to initialize IN/OUT table parameters?

- A. IS\_EMPTY
- B. DEFAULT EMPTY
- C. DEFAULT
- D. SET

Correct Answer: B

[C\\_HANADEV\\_17 PDF Dumps](#)

[C\\_HANADEV\\_17 Study Guide](#)

[C\\_HANADEV\\_17 Braindumps](#)