



CJE^{Q&As}

Certified Jenkins Engineer (CJE)

Pass CloudBees CJE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/cje.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by CloudBees
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which Jenkins job status indicates that tests failed ?

- A. Aborted
- B. Success
- C. Unstable
- D. Failure
- E. Not Built

Correct Answer: C

QUESTION 2

What is the preferred method for a Jenkins administrator to notify nil Jenkins users about upcoming system maintenance?

- A. Add text to the "System Message" field on the "System Configuration" page to populate a banner displayed across the top of the master's home page.
- B. On the "System Configuration" page, choose the "Maintenance Alerts" option from the "Alerts" dropdown menu and populate the box with a message to be added to all build logs.
- C. Populate the "Email Notifications" section of the "System Configuration" page with a message to be sent as email to all registered Jenkins users.
- D. On the master's dashboard, click "add description" or "edit description" to populate a banner displayed across the top of the master's home page.

Correct Answer: B

QUESTION 3

A Freestyle job has the configuration shown here: You run the following command from a Unix terminal: `curl http://git/notifyCommit? url-git.github.com: cloudbees/github test.git` Will the Job be triggered?



```
<project>
  <actions/>
  <description/>
  <keepDependencies>>false</keepDependencies>
  <scm class="hudson.plugins.git.GitSCM" plugin="git@2.3.5">
    <configVersion>2</configVersion>
    <userRemoteConfigs>
      <hudson.plugins.git.UserRemoteConfig>
        <url>git@github.com:cloudbees/github-test.git</url>
      </hudson.plugins.git.UserRemoteConfig>
    </userRemoteConfigs>
    <branches>
      <hudson.plugins.git.BranchSpec>
        <name>*/development</name>
      </hudson.plugins.git.BranchSpec>
    </branches>
    <doGenerateSubmoduleConfigurations>>false</doGenerateSubmoduleConfigurations>
    <gitTool>Default</gitTool>
    <submoduleCfg class="list"/>
    <extensions/>
  </scm>
  <canRoam>>true</canRoam>
  <disabled>>false</disabled>
  <jdk>(Default)</jdk>
  <triggers>
    <hudson.triggers.SCMTrigger>
      <spec/>
      <ignorePostCommitHooks>>false</ignorePostCommitHooks>
    </hudson.triggers.SCMTrigger>
  </triggers>
</project>
```

- A. It will not be triggered.
- B. It will be triggered if the polling detects a change in any git branch.
- C. It will be triggered if the polling detects a change in the git branch "master".
- D. It will be triggered if the polling detects a change in the git branch "development".

Correct Answer: D

QUESTION 4

Where do you find alerts about Jenkins security issues? Choose 3 answers

- A. Beekeeper Upgrade Assistant if you are running CloudBees Jenkins Distribution or CloudBees Core.
- B. An email message that is automatically sent to all users who have registered with the mailing list at jenkins-advisories@googlegroups.com.
- C. A banner displayed in the upper right section of the master's home page.
- D. An email message sent to all users who are listed in the "Send security notifications" field of the "Extended E-mail Notification" configuration.
- E. Jenkins logs.



Correct Answer: CDE

QUESTION 5

Which of the following is true about resuming a Declarative Pipeline?

- A. Declarative Pipelines can be restarted after a Jenkins failure but not after a transient outage (such as a network failure or disk space exhaustion).
- B. Declarative Pipelines can be resumed only after a transient outage (such as a network failure or disk space exhaustion).
- C. All Declarative Pipelines are restartable by default, with the same inputs (commit to build, parameters, etc) as the original run. Any data that was built in the original run is available only if the `preserveStashes()` option is specified in the Jenkinsfile
- D. Declarative Pipelines that use Docker containers can not be resumed because the docker APIs that Jenkins calls to create the container are not serialized
- E. A Declarative Pipeline can be restarted only if the `preserveStashes()` option is set in the pipeline.

Correct Answer: C

[CJE PDF Dumps](#)

[CJE Exam Questions](#)

[CJE Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.lead4pass.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © lead4pass, All Rights Reserved.