

# E\_BW4HANA207<sup>Q&As</sup>

SAP Certified Application Specialist - SAP BW/4HANA 2.0 Delta

## Pass SAP E\_BW4HANA207 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.leads4pass.com/e\\_bw4hana207.html](https://www.leads4pass.com/e_bw4hana207.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SAP Official  
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

Why do you create a Semantic Group?

- A. To create folders for SAP BW Query elements
- B. To loadInfoObject attribute with Enhanced Master Data Update
- C. To generate multiple similar DataStore objects (advanced)
- D. To define settings for Data Tiering Optimization (DTO)

Correct Answer: D

---

## QUESTION 2

Why do you use the \\ "Enhanced Master Data Update"" setting in the definition of an InfoObject? Note: there are 2 correct answers to this question.

- A. To enable parallel loading
- B. To enable transitive attributes
- C. To enable delta capability
- D. To enable XXL attributes

Correct Answer: AC

---

## QUESTION 3

What are valid reasons to generate external SAP HANA Views for SAP BW/4HANA objects? Note: there are 2 correct answers to this question.

- A. To consume SAP BW/4HANA data and manage access with native SAP HANA concepts
- B. To apply SAP HANA transformational logic instead of SAO ABAP logic
- C. To leverage the SAP HANA-optimized Analytic Manager to process BWQuery
- D. To create an additional persistent layer of data in SAP HANA

Correct Answer: AC

---

## QUESTION 4

Which of the following SAP BW/4HANA objects support the automatic generation of external SAP HANA views?

Note: There are 2 correct answers to this question.

- A. Open ODS View
- B. BW Query
- C. InfoObject Characteristic
- D. DataSource

Correct Answer: BC

---

## QUESTION 5

You enable a DataStore object(advanced) for reporting by switching on the ""External SAP HANA view"" flag in the settings.

Which authorizations are used when you consume the generated SAP HANA view directly?

- A. The generated analytic privileges in SAP HANA
- B. The authorizations for the HDI container access in SAP HANA
- C. The combination of the generated analytic privileges in SAP HANA and the analysis authorizations in SAP BW/4HANA
- D. The analysis authorizations in SAP BW/4HANA

Correct Answer: C

[Latest E\\_BW4HANA207 Dumps](#)

[E\\_BW4HANA207 VCE Dumps](#)

[E\\_BW4HANA207 Study Guide](#)