

## H12-891<sup>Q&As</sup>

HCIE-Datacom V1.0

### Pass Huawei H12-891 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/h12-891.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

The DHCP protocol assigns to clients--some TCPIP-related parameter information--in the process DHCP defines a variety of messages that are encapsulated at the transport layer :(sortic).

- A. PPP package
- B. IP encapsulation
- C. TCP Encapsulation
- D. UDP Encapsulation

Correct Answer: D

---

## QUESTION 2

The message types of ISIS mainly include SNP, IIH, and LSP

- A. True
- B. False

Correct Answer: A

---

## QUESTION 3

IPV6 multicast introduces the concept of multicast scope, which of the following ways is the multicast scope concept implemented? Multi-select

- A. When the group shake source sends IP6 multicast data, the TTL value of the packet is set to limit the transmission range of the group shake
- B. There is a special field in the IPv6 multicast address that specifies the propagation range of multicast.
- C. Multicast scope is just a concept of spreading scope, and there is no specific technical implementation.
- D. During network configuration, the administrator uses the configuration command at the edge of the network to limit the multicast scope.

Correct Answer: BD

---

## QUESTION 4

The following statement about the alliance is correct?( Single choice questions).

- A. The consortium divides an AS into sub-AS, and the alliance external AS still considers the consortium to be an AS
- B. Subsystems within a consortium can use private AS numbers. Huawei NE/AR routers, a consortium can be

configured with up to 32 subsystems

C. Consortium can easily detect the routing loop within the AS because EBGp is running between the subAS.

D. The subas number of the consortium, which by default notifies BGP peers outside the consortium

Correct Answer: D

---

## QUESTION 5

LDP messages are exchanged between LDRs running the LDP protocol, and LDP messages can be divided into four types according to function, which of the following is not an LDP message type ?

A. Advertisement message

B. Discover message

C. Conversation message

D. Label Exchange Information

Correct Answer: D

[H12-891 PDF Dumps](#)

[H12-891 Study Guide](#)

[H12-891 Braindumps](#)