

H13-511_V4.0^{Q&As}

HCIA Cloud Computing V4.0

Pass Huawei H13-511_V4.0 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/h13-511_v4-0.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Huawei
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

The process of creating a file system on a disk is often referred to as

- A. Packaging
- B. Formatting
- C. RAID
- D. Partition

Correct Answer: B

QUESTION 2

In Huawei FusionCompute, the following incorrect descriptions of security groups and rules are

- A. Security group rule changes need to be manually applied to virtual machines in the security group
- B. must create a security group before adding rules
- C. security group denies all by default before adding rules
- D. The premise of deleting a security group is that there are no virtual machines in the security group

Correct Answer: A

QUESTION 3

NUMA is a memory architecture designed for multiprocessor computers. Memory access time depends on Processor location, under NUMA the processor accesses its own local memory faster than non-local memory (the memory is located in Another processor, or shared memory between processors) is faster.

- A. TRUE
- B. FALSE

Correct Answer: A

QUESTION 4

Which of the following methods are generally supported by a physical switch for remote management (multiple selection)

- A. Telnet
- B. SSL

C. Web

D. SSH

Correct Answer: ACD

QUESTION 5

The following description about the differences between physical switches and virtual switches is incorrect

A. virtual switch runs on a physical server, and the physical switch has separate hardware

B. The virtual switch cannot operate on the VLAN tag, and the physical switch can operate on the VLAN tag

C. A virtual switch cannot be configured with a Layer 3 interface, and a physical switch can be configured with a Layer 3 interface

D. Virtual switches also require certain hardware resources for their normal operation

Correct Answer: B

[H13-511 V4.0 PDF Dumps](#) [H13-511 V4.0 VCE Dumps](#) [H13-511 V4.0 Study Guide](#)