

# HCE-3210<sup>Q&As</sup>

Hitachi Vantara Certified Specialist - NAS Solutions Architect

## Pass Hitachi HCE-3210 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hce-3210.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

A customer is using CVL on their Hitachi NAS platform. When a migrated file is accessed, how does a tier of storage serve a file to a client?

- A. Only the portion of the file requested by the client is recalled from the primary tier of storage
- B. The entire file requested by the client is recalled to the primary tier of storage.
- C. The file requested by the client is read directly from the second tier of storage.
- D. The file requested by the client is recalled from the snapshot area of the file system.

Correct Answer: C

---

**QUESTION 2**

You are designing a solution for a customer who wants to optimize network performance for their iSCSI environment of 20 Microsoft SQL servers on their Hitachi NAS Platform. Which three actions do you suggest to the customer? (Choose three.)

- A. Create a private VLAN between the Microsoft SQL server and the Hitachi NAS Platform.
- B. Create a LAG on the Hitachi NAS platform using all available interfaces.
- C. Use the latest open source iSCSI initiator in the Microsoft SQL server.
- D. Use the spanning tree protocol.
- E. Add multiple network interfaces to their Microsoft SQL server and use MPIO.

Correct Answer: ABE

---

**QUESTION 3**

Your customer wants to issue administrative commands to a Hitachi NAS Platform 4000 over their data network using scripting.

What must you do?

- A. Change the firewall setting in SMU to allow access to the admin EVS.
- B. Assign an IP address to the admin EVS on the data network aggregate.
- C. Run the scripted commands against any existing file services EVS.

D. Add an additional IP address to the file services EVS used by the clients.

Correct Answer: B

---

#### QUESTION 4

You are working on a proposal for a VMware customer which includes a Hitachi NAS Platform 4000 in a two-node cluster with a single HUS 150 system attached. What are two best practices when architecting the solution? (Choose two.)

- A. HDP should not be used with TFS.
- B. Configure RAID-6 fortier0.
- C. Dedicate HDP pools solely to the HNAS system.
- D. Maintain a ratio of 1 or 2 HDP volumes for each RAID group that is used in the DP pool.

Correct Answer: CD

---

#### QUESTION 5

You are designing Hitachi NAS File Clone solution for a customer with an existing Hitachi NAS platform. Which two are required? (Choose two.)

- A. NAS firmware version 8.x or later
- B. iSCSI volumes
- C. WFS-2 file system
- D. Hitachi NAS G2 hardware

Correct Answer: AC

---

[Latest HCE-3210 Dumps](#)

[HCE-3210 Practice Test](#)

[HCE-3210 Study Guide](#)