

HCE-3700^{Q&As}

Hitachi Vantara Certified Expert - Performance architect

Pass Hitachi HCE-3700 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/hce-3700.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



Leads4Pass https://www.leads4pass.com/hce-3700.html 2024 Latest leads4pass HCE-3700 PDF and VCE dumps Download

QUESTION 1

A VSP G800 customer has one HDT pool with three tiers and they report a high frequency of relocations up and down between Tier 1 and Tier 2, affecting the HDT pool performance.

Which two actions will help solve the issue? (Choose two.)

- A. Decrease the monitoring period of the HDT pool.
- B. Increase the size of the grey zone between Tier 1 and Tier 2.
- C. Change the HDT pool setting from Period mode to Continuous mode.
- D. Increase the size of Tier 2.

Correct Answer: CD

QUESTION 2

A VSP G800 HDT pool contains FMDs, NL-SAS drives, external storage with 15K 600 GB SAS drives, and external storage with 10K 900 GB SAS drives.

Which tier level contains the NL-SAS drives in this configuration?

- A. 1
- B. 2
- C. 3
- D. 4

Correct Answer: A

QUESTION 3

A high level of writes to external storage is backing up into a VSP G1000 cache, creating a high write pending problem that is affecting other workloads.

Which three actions will help to minimize this problem? (Choose three.)

- A. Add more cache to the enterprise storage system.
- B. Add more cache in the external storage.
- C. Quarantine the LUNs in a separate cache partition.
- D. Set Cache Mode to "Disabled" for the external LUNs.
- E. Address the throughput constraints in the external storage.



https://www.leads4pass.com/hce-3700.html

2024 Latest leads4pass HCE-3700 PDF and VCE dumps Download

Correct Answer: ABD

QUESTION 4

When testing an external LUN with default mapping on two paths, performance appears constrained and the utilization of the RAID group in the external storage system never exceeds 35% busy no matter how many test threads are generated. You want to increase the utilization of the external RAID group.

Which two actions will accomplish this task? (Choose two.)

- A. Increase the external path LUN queue depth setting.
- B. Increase the number of LUNs mapped from the external RAID group.
- C. Change Cache Mode to "Disabled".
- D. Increase the server HBA LUN queue depth to 64.

Correct Answer: AC

QUESTION 5

A mission critical SQL server application that resides in a three-tier HDT pool is showing response time spikes that may be related to I/O activity.

Which three Hitachi Tuning Manager reports would you use to determine the problem? (Choose three.)

- A. IOPS by dataset.
- B. IOPS by V-Vol
- C. IOPS by pool
- D. IOPS by tier
- E. IOPS by parity group

Correct Answer: CDE

HCE-3700 PDF Dumps

HCE-3700 Study Guide

HCE-3700 Braindumps