

# HCE-5420<sup>Q&As</sup>

Hitachi Data Systems Certified Specialist - Content Platform

## Pass Hitachi HCE-5420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hce-5420.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Hitachi  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

When installing HCP software nodes, what is the HDS recommended order?

- A. the node with the lowest back-end IP address at the bottom of the rack
- B. the node with the highest back-end IP address at the bottom of the rack
- C. odd back-end IP addressed nodes at the bottom of the rack
- D. even back-end IP addressed nodes at the bottom of the rack

Correct Answer: A

---

**QUESTION 2**

A 4-Node HCP with 40 users is being managed using the single administrator function. Two new users, each from a different department, need to access data in two HCP tenants named:

Financials Payable and Financials Receivable. Which action should the administrator perform to make this happen?

- A. Create two new user accounts with security permissions.
- B. Create default accounts named Financials Payable and Financials Receivable for each user.
- C. Create a data access account for each user.
- D. Create two system administration accounts.

Correct Answer: C

---

**QUESTION 3**

Which implementation describes how HCP 300 storage nodes are configured in a non-replicating environment?

- A. RAID 6 (6+2) with DPL2
- B. RAID 5 (5+1) with DPL5
- C. RAID 5 (5+1) with DPL2
- D. RAID 6 (6+2) with DPL1

Correct Answer: C

---

**QUESTION 4**

A customer asks you to deploy a HCP. They want to have three HCP tenants for three Active Directory organization units and two HCP tenants for two UNIX groups. They plan to use Active Directory authentication for CIFS users and UNIX authentication for NFS users. What do you tell the customer?

- A. You can configure CIFS and NFS in accordance to the plan.
- B. CIFS and NFS cannot be configured for tenants.
- C. You can configure for either CIFS or NFS, but not both.
- D. RADIUS servers are required before you can configure CIFS and NFS in accordance to the plan.

Correct Answer: B

---

## QUESTION 5

Which OS LUN size do all HCP 300 configurations use?

- A. 20 GB
- B. 30 GB
- C. 50 GB
- D. 400 GB

Correct Answer: B

[HCE-5420 PDF Dumps](#)

[HCE-5420 Practice Test](#)

[HCE-5420 Study Guide](#)