

HP0-P24^{Q&As}

HP-UX 11iv3 System Administration

Pass HP HP0-P24 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leadspass.com/hp0-p24.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Stephanie in accounting and Chuck in marketing need access to the same directory named `acct_analysis`. Stephanie is in a group named `acct` while Chuck is in a group named `mktg`. The information for the directory is as follows:

```
drwxrwx--- 2 stephanie acct 96 Jun 27 09:16 acct_analysis/
```

Which statements are true about this scenario? (Select two)

- A. Chuck already has access to the directory
- B. The directory is world readable
- C. Chuck needs to be added to the `acct` group to gain access to the directory
- D. The directory is writeable by the `mktg` group
- E. Stephanie is the owner of the directory

Correct Answer: AE

QUESTION 2

A user, `ccampbell`, leaves the company. Company policy requires that the system administrator remove the user's UNIX account and home directory. Which command accomplishes this task?

- A. `usermod -d /home/ccampbell ccampbell`
- B. `userdel --r ccampbell`
- C. `userdel --F ccampbell`
- D. `usermod --e "" ccampbell`

Correct Answer: B

QUESTION 3

A system administrator needs to set up a new IP UX server by using ignite-UX in a different subnet. What should the system administrator do to accomplish this goal? (Select two)

- A. Set up an RARP agent
- B. Use a DHCP server only on the ignite-UX subnet
- C. Place one DHCP server on each subnet
- D. Set up bootp relay agents
- E. Use a DHCP server only on the HP-UX server subnet

Correct Answer: BE

QUESTION 4

Refer to the exhibit

```

root@drpepper: /root
# netstat -rn
Routing tables
Destination          Gateway             Flags Refs Interface  Metric
127.0.0.1            127.0.0.1          UH    0    lo0        32808
15.226.132.125      15.226.132.125    UH    0    lan0       32808
16.85.139.141       16.85.139.141    UH    0    lan1       32808
16.85.139.128       16.85.139.141    U     2    lan1        1500
15.226.132.0         15.226.132.125    U     2    lan0        1500
127.0.0.0            127.0.0.1          U     0    lo0        32808
default              16.85.139.129     UG    0    lan1        1500
  
```

Which route types are available to configure when using the route command? (Select two)

- A. IP Range
- B. Domain C. Net
- D. Subnet
- E. Host

Correct Answer: DE

QUESTION 5

An HP Integrity system is inaccessible. The HP response center needs a memory dump to troubleshoot the problem. The system administrator can access the "CM>" prompt by logging into the iLO port.

Which command can be used to start the memory dump?

- A. r 3
- B. toc
- C. tc
- D. reboot

Correct Answer: C