

## HPE0-S22<sup>Q&As</sup>

Architecting Advanced HPE Server Solutions

**Pass HP HPE0-S22 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/hpe0-s22.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An architect reviews an HPE Apollo 6000 design and finds that there are plans for redundant iLO connections on each HPE Apollo 6000 chassis to a pair of top-of-rack switches. These switches are set up as individual switches connected to a single core.

Which configuration change should the architect recommend to ensure a loop free management topology?

- A. Remove one iLO connection from each HPE Apollo 6000 chassis.
- B. Configure MAD between the top-of-rack switches.
- C. Replace the top-of-rack switches with HPE Advanced Power Management Kits.
- D. Configure IRF between the top-of-rack switches.

Correct Answer: D

---

**QUESTION 2**

A customer operates a data center based on third-party servers, which includes third-party storage with an iSCSI SAN. The architect needs to design a solution that can seamlessly access the current data from a new HPE Moonshot system.

How can the HPE Moonshot system access the legacy storage?

- A. using native iSCSI target software to connect to the storage on a dedicated LAN
- B. using native iSCSI initiator to connect to the storage on a dedicated LAN
- C. using native iSCSI initiator to connect to the storage on the management LAN
- D. using an HPE Multifunction router to convert iSCSI to Virtual Connect

Correct Answer: B

---

**QUESTION 3**

A customer's business critical application server, which is managed by HPE OneView, recovered from an automatic ASR reboot. HPE Support requests an Active Health System log. What should the customer use to access the log while the server is online?

- A. iLO
- B. HPE OneView
- C. Intelligent Provisioning
- D. UEFI Bios

Correct Answer: A

---

**QUESTION 4**

A customer needs to integrate an existing incident management application with HPE OneView. The customer needs to be notified when the physical resource status changes or when a new server is added to the infrastructure. Which HPE OneView feature should the architect recommend to the customer?

- A. HPE Cloud Optimizer for HPE OneView
- B. additional licensed integration plugins for HPE OneView that will allow required integration
- C. WBEM Subscription option that will allow data retrieval from HPE OneView
- D. RESTful API and State Change Message Bus concept

Correct Answer: D

---

**QUESTION 5**

An architect is planning an HPE Integrity Superdome X solution with the following nPartitions:

nPar 1= Slots 1, 3, and 5 nPar 2 = Slots 2, 4, and 6 The Superdome X solution must connect to a Fibre Channel SAN solution, which provides boot disks for the Superdome X solution.

The architect has selected a FlexibleLOM adapter for each blade. What is a valid plan for additional adapters?

- A. one 2-port FC HBA for slot 1
- B. one 2-port FC HBA each for slot 1, slot 3, and slot 5
- C. one 2-port FC HBA each for slot 1 and slot 2
- D. one 2-port FC HBA each for slot 2, slot 4, and slot 6

Correct Answer: D

[HPE0-S22 VCE Dumps](#)

[HPE0-S22 Study Guide](#)

[HPE0-S22 Exam Questions](#)