

# JAVASCRIPT-DEVELOPER-I<sup>Q&As</sup>

Salesforce Certified JavaScript Developer I

## Pass Salesforce JAVASCRIPT-DEVELOPER-I Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/javascript-developer-i.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the code below:

```
new Promise((resolve, reject) => {  
  
  const fraction = Math.random();  
  
  if( fraction >0.5) reject("fraction > 0.5, " + fraction);  
  
  resolve(fraction);  
  
})  
  
.then(() =>console.log("resolved"))  
  
.catch((error) => console.error(error))  
  
.finally(() => console.log(" when am I called?"));
```

```
new Promise((resolve, reject) => {  
  const fraction = Math.random();  
  if( fraction >0.5) reject("fraction > 0.5, " + fraction);  
  reject(fraction);  
})  
.then(() =>console.log("resolved"))  
.catch((error) => console.error(error))  
.finally(() => console.log(" when am I called?"));  
▶ 0.024493713600408196 VM1560:7  
  when am I called? VM1560:8  
▶ Promise {<fulfilled>: undefined}
```

```
new Promise((resolve, reject) => {  
  const fraction = Math.random();  
  if( fraction >0.5) reject("fraction > 0.5, " + fraction);  
  resolve(fraction);  
})  
.then(() =>console.log("resolved"))  
.catch((error) => console.error(error))  
.finally(() => console.log(" when am I called?"));  
resolved VM1349:6  
  when am I called? VM1349:8  
▶ Promise {<fulfilled>: undefined}
```

When does Promise.finally on line 08 get called?

- A. When rejected
- B. When resolved and settled
- C. When resolved
- D. When resolved or rejected

Correct Answer: D

---

## QUESTION 2

Refer to following code block:

```
Let array = [1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11,];
```

```
Let output =0;
```

```
For (let num of array){
```

```
if (output >0){
```

```
Break;
```

```
}
```

```
if(num % 2 == 0){
```

```
Continue;
```

```
}
```

```
Output +=num;
```

What is the value of output after the code executes?

- A. 16
- B. 36
- C. 11
- D. 25

Correct Answer: A

---

## QUESTION 3

Refer to the code below?

```
Let searchString = ` look forthis \`;
```

Which two options remove the whitespace from the beginning of searchString?

Choose 2 answers

- A. searchString.trimEnd();
- B. searchString.trimStart();
- C. trimStart(searchString);
- D. searchString.replace(/^\s+/, '');

Correct Answer: BD

---

#### QUESTION 4

Refer to the following array:

Let arr = [1, 2, 3, 4, 5];

Which three options result in x evaluating as [1, 2]?

Choose 3 answer

- A. let x = arr. slice (2);
- B. let x = arr. slice (0, 2);
- C. let x = arr.filter((a) => (return a < 2)) ;
- E. let x = arr.splice(0, 2);

Correct Answer: BCE

---

#### QUESTION 5

What is the result of the code block?

- A. The console logs only `flag`.
- B. The console logs `flag` and another flag.
- C. An error is thrown.
- D. The console logs `flag` and then an error is thrown.

Correct Answer: D

[Latest JAVASCRIPT-DEVELOPER-I Dumps](#)

[JAVASCRIPT-DEVELOPER-JAVASCRIPT-DEVELOPER-I Practice Test](#)

[I Study Guide](#)