

JN0-104^{Q&As}

Junos, Associate (JNCIA-Junos)





Pass Juniper JN0-104 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/jn0-104.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Juniper
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You recently uploaded a new software package to your Junos and you want to ensure that the file uploaded successfully by verifying the file size. In this scenario, which command should you use?

- A. file checksum shal
- B. file compare
- C. file list detail
- D. file show encoding

Correct Answer: C

QUESTION 2

Which Junos OS routing instance type is used for non-VPN-related applications such as system virtualization?

- A. vpls
- B. forwarding
- C. virtual-router
- D. vrf

Correct Answer: C

QUESTION 3

What would you use as a network tool to open a secure terminal connection from a device running Junos OS to another device?

- A. SSH
- B. HTTPS
- C. RDP
- D. telnet

Correct Answer: A

QUESTION 4

Click the Exhibit button

Exhibit

```
[edit]
user@router# show firewall family inet filter test-filter
term 1 {
    from {
        source-address {
            1.0.0.0/23;
        }
    }
    then policer test-policer;
}
term 2 {
    then accept;
}
[edit]
user@router# show firewall policer test-policer
if-exceeding {
    bandwidth-limit 1g;
    burst-size-limit 100k;
}
then discard;
```

Referring to the exhibit, what will happen to traffic that is less than the bandwidth limit from source address 1.0.0.207

- A. The traffic will be discarded by the policer.
- B. The traffic will be accepted by term 2.
- C. The traffic will be discarded by term 1.
- D. The traffic will be accepted by term 1.

Correct Answer: D

QUESTION 5

You have received a request from the user, SecurityTeam, to notify their terminal connection only when someone commits a change to the configuration of a specific networking device.

Which command would you input in this scenario?

- A. set system syslog user SecurityTeam change-log alert
- B. set system syslog user SecurityTeam change-log any
- C. set system syslog user SecurityTeam interactive-commands any
- D. set system syslog user SecurityTeam interactive-commands

Correct Answer: B