

JN0-363^{Q&As}

Service Provider Routing and Switching Specialist (JNCIS-SP)

Pass Juniper JN0-363 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/jn0-363.html>

100% Passing Guarantee
100% Money Back Assurance


Following Questions and Answers are all new published by Juniper
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

LSI1 A AS 65501 ISPB AS 65502 Advertised Prefixes: 172.20.0.0/24 172.20.20.0/24 172.20.21.0/24 Advertised Prefixes: 172.20.0.0/24 172.20.1.0/24




Referring to the exhibit, which two statements are correct? (Choose two.)

- A. Devices in AS 65512 will prefer ISP A for traffic destined to the 172.20.21.0/24 network.
- B. Devices In AS 65512 will prefer ISP A for traffic destined to the 172.20.0.0/24 network.
- C. Devices in AS 65512 will prefer ISP B for traffic destined to the 172.20.21.0/24 network.
- D. Devices In AS 65512 will prefer ISP B for traffic destined to the 172.20.0.0/24 network.

Correct Answer: C

QUESTION 2

Exhibit




You are asked to configure OSPF between routers R1 and R2 using IPv6 addresses. Which two tasks will accomplish your objective? (Choose two.)

- A. Issue the `sec protocols ospf area 0.0.0.0 interface ge-0/0/1.0` command.
- B. Under the `[edit routing-options]` hierarchy, configure a 32-bit router ID.
- C. Issue the `set protocols ospf3 area 0.0.0.0 interface ge-0/0/1.0` command.
- D. Under the `[edit routing-options]` hierarchy, configure a 128-bit router ID.

Correct Answer: AD

QUESTION 3

Exhibit Which two statements are correct about the information shown in the exhibit? (Choose two.)



```
user@switch> show spanning-tree bridge
STP bridge parameters
Context ID                : 0
Enabled protocol          : RSTP
  Root ID                  : 8192.50:c5:8d:ae:db:41
  Hello time                : 10 seconds
  Maximum age               : 40 seconds
  Forward delay             : 30 seconds
  Message age               : 0
  Number of topology changes : 6
  Time since last topology change : 781 seconds
  Topology change initiator  : ge-0/0/14.0
  Topology change last recvd. from : 2c:6b:f5:31:06:0b
Local parameters
  Bridge ID                 : 8192.50:c5:8d:ae:db:41
  Extended system ID        : 0
  Internal instance ID      : 0
```

- A. The root bridge is reachable using the ge-0/0/14 interface.
- B. This switch is the root bridge for this spanning tree topology.
- C. This switch has a bridge priority of 8k.
- D. The root bridge's priority is 4k.

Correct Answer: BD

QUESTION 4

Which two statements are correct about the BGP next-hop attribute value? (Choose two.)

- A. By default, the next-hop value is changed across IBGP links.
- B. By default, the next-hop value is changed across EBGP links.
- C. By default, the next-hop value is not changed across IBGP links.
- D. By default, the next-hop value is not changed across EBGP links.

Correct Answer: A

QUESTION 5

Which two interface types are used as tunnel endpoints? (Choose two.)

A. ae

B. ip

C. ge

D. gr

Correct Answer: BC

[JN0-363 VCE Dumps](#)

[JN0-363 Exam Questions](#)

[JN0-363 Braindumps](#)