

NCA-5.15^{Q&As}

Nutanix Certified Associate (NCA) 5.15 Exam

Pass Nutanix NCA-5.15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/nca-5-15.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Refer to the exhibit.



The screenshot shows a window titled "Data Resiliency Status" with a close button (X) and a help icon (?). Below the title, it says "FAULT DOMAIN TYPE: HOST". The main content is a table with three columns: "COMPONENT", "FAILURES TOLERABLE", and "MESSAGE".

COMPONENT	FAILURES TOLERABLE	MESSAGE
Static Configuration	1	
ZooKeeper	0	Desired fault tolerance for Zookeeper is 1 but we can tolerate only 0 node failure(s)
Stargate Health	0	Based on unhealthy node list (5,) the cluster can tolerate a maximum of 0 node failure(s)
Oplog	1	
Metadata	0	Metadata ring partitions with nodes: 192.168.1.33, 192.168.1.31, 192.168.1.32 are not fault tolerant.
Extent Groups	1	
Erasure Code	1	

An administrator notices that the Data Resiliency Status of some components has been reduced to 0, making it impossible to support a node failure in the cluster.

What type of failure is most likely the cause of this issue?

- A. Block
- B. Disk
- C. CVM
- D. Nods

Correct Answer: C

QUESTION 2

A mission critical application with four VMs have been deployed inside of a six-node Nutanix cluster. An alert is generated that a node in the cluster has failed and is no longer online. After the alert, two of the VMs reboot and come back online on another node.

Which feature, when configured, would have prevented the two VMs from rebooting?

- A. Host Anti-Affinity
- B. VM High Availability
- C. Host Affinity
- D. Protection Domain

Correct Answer: C

QUESTION 3

An application owner had reported that an AHV-based critical application VM is performing very slowly. After initial diagnostics, it has been observed that the CPU utilization is significantly higher than normal.


What two actions should the administrator take on this VM without shutting it down? (Choose two.)

- A. Increase number of vCPU in Prism Element
- B. Configure additional cores in acli
- C. Ensure CPU hot-add is supported by the Guest O
- D. Use PrismElement to increase the number of cores

Correct Answer: AC

QUESTION 4

Refer to the exhibit.




The reference exhibit above is from a newly-created VM. When the administrator powers on the VM, GuestOS installation is not happening. What is causing this issue?

- A. Network boot is happening
- B. The GuestOS installer is corrupted
- C. The SCSI disk is corrupted
- D. GuestOS installer is not loaded in the CD-ROM

Correct Answer: D

QUESTION 5

Refer to the exhibit: Based on the exhibit what can be definitively determined about Host DEMO-AHV-2\?



- A. it has performed more on-disk lookups than the other nodes.
- B. It's cache is undersized compared to the other nodes.
- C. The system memory is undersized.
- D. It is hosting a higher quantity of VMs than the other nodes.

Correct Answer: A

[NCA-5.15 PDF Dumps](#)

[NCA-5.15 Study Guide](#)

[NCA-5.15 Braindumps](#)