

## NCM-5.15<sup>Q&As</sup>

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) 5.15

### Pass Nutanix NCM-5.15 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ncm-5-15.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

A guest VM is reported to have poor storage performance. It has an I/O profile of 80% read, 20% write, and the HDDs form more than 50% of the read source. What should an administrator do to resolve this issue?

- A. Increase SSD capacity
- B. Increase the OPLOG
- C. Increase the write cache
- D. Use HDDs with higher RPM

Correct Answer: A

---

## QUESTION 2

An administrator needs to initiate a new VDI project within a couple of months. Prism Central reports there are no storage resources to accommodate such workloads.

The administrator sees many powered-off VMs and has the authority to delete test VMs powered off at least for 30 days. Test VMs belong to the Test category.

Using Prism Central, which steps are required to identify the correct VMs to be deleted?

- A. Use Capacity Runway to filter by Test and Powered-off VMs
- B. Filter VMs list, choose Test category and Inactive under Efficiency
- C. Create a new Scenario selecting Test VMs. filter by uptime
- D. Create a new Project selecting Test VMs, sorting by power state

Correct Answer: B

---

## QUESTION 3

An organization is planning an upgrade to AOS 5.15 and wants to understand which cluster products and/or services are supported for physical traffic isolation. Which Nutanix component supports its network traffic being isolated onto its own virtual network?

- A. Volumes
- B. Objects
- C. Containers
- D. Files

Correct Answer: A

---

## QUESTION 4

An administrator needs to make sure an RF2 cluster can survive a complete rack failure without negatively effecting workload performance. The current cluster configuration consists of the following:

30 nodes: distributed 10 nodes per rack across three 42U rack

Each nodes is configured with 40TB usable storage all flash (Cluster Total 1.2 PB Usable)

Current cluster utilization is 900TB storage

Which configuration changes should be made to make sure that the cluster meets the requirements?

- A. Expand the cluster by adding 3 additional nodes per rack, 9 nodes total.
- B. Expand the cluster by adding 2 additional nodes per rack, 6 nodes total.
- C. Expand the cluster by adding 9 nodes to a new 42U rack
- D. Expand the cluster by adding 8 nodes to a new 42U rack

Correct Answer: A

---

## QUESTION 5

An administrator manages the following two Nutanix AOS 5.15 cluster environment: Corp-cluster-01 Corp-cluster-02

The VM images must be available only on Corp-cluster-01, but cannot be checked out to cluster Corp-cluster-02. The images also cannot be checked out to any other clusters that are registered with Prism Central in the future.

Which two configuration settings must the administrator choose when creating the image placement policy that satisfies the stated requirements? (Choose two.)

- A. Create an image placement policy that identifies cluster Corp-cluster-01 as the target cluster
- B. Set the policy enforcement to Soft.
- C. Set the policy enforcement to Hard.
- D. Create an image placement policy that identifies cluster Corp-cluster-02 as the target cluster.

Correct Answer: AC