NCM-5.15^{Q&As}

Nutanix Certified Master - Multicloud Infrastructure (NCM-MCI) 5.15

Pass Nutanix NCM-5.15 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/ncm-5-15.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Refer to the exhibit.

Overview	Table			
Async DR	Remote Site			
Name	· ·	Async DR Alerts		
ADR local		Unable to locate VM(s) Lin_Ntnx_Uvm_1		
ADR_local_	no_cg	protected by protection domain ADR_local_no_c		
ADR_remot	e	- Unable to locate VM(s) Lin_Ntnx_Uvm_1		
ADR_remote_no_cg		protected by protection domain ADR_local_no_c		
ADR_remote_palo02		Unable to locate VM(s) Lin_Ntnx_Uvm_1 protected by protection domain ADR_local_no_cg		

After performing ESXi to AHV conversion on a cluster, the alerts shown in the exhibit display on Prism. What should the administrator do to resolve this issue efficiently?

- A. Remove the VMs. create a new Protection Domain, and add VMs to it.
- B. Remove VMs from the Protection Domain and add them back in.
- C. Delete the Protection Domain, create a new Protection Domain, and add the VMs to it.
- D. Create a new Protection Domain and add the VMs to rt.

Correct Answer: B

QUESTION 2

A customer has Metro Availability configured in Automatic Resume Mode between Site A and Site B.

What happens to VMs if Primary Site A has full network failure?

- A. Automatic protection domain promotion in Site B. VMs automatically restart in Site
- B. VMs continue to run on Site A following an automatic disable of protection domains.
- C. An administrator must unwitness in Site B and promote protection domains in Site B for VMs to restart
- D. An administrator must promote protection domains in Site B for VMs to restart.

Correct Answer: A



Scenario	Behavior based on MA Configuration			
	Witness Mode	Automatic Resume Mode	Manual Mode	
Site 1 Outage or complete network failure in Site 1	Automatically Failover to Site 2	Automatically Failover to Site 2	Admin action to activate PD on Site 2 and restart VMs	
Site 2 Outage or complete network failure in Site 2	VMs continue to run on Site 1	Automatically Failover to Site 1	Pause all VMs until admir action	
Connection loss between Site 1 & 2 a.k.a Network Partition	VMs continue to run on Site 1	VMs continue to run after timeout	Pause all VMs until admin	
Metro Availability Witness Failure	No impact however ability to recover automatically in some scenarios is lost.	No impact however ability to recover automatically in some scenarios is lost.	Not Applicable	
Connection loss between Site 1 & Witness	VMs continue to run on Site 1	Not Applicable	Not Applicable	
Connection loss between Site 2 & Witness	VMs continue to run on Site 1	Not Applicable	Not Applicable	
Connection loss between Witness and BOTH sites or Witness Failure	VMs continue to run on Site 1	Not Applicable	Not Applicable	
Failure at both Site 1 and Site 2	Administrator intervention required	Administrator intervention required	Administrator intervention required	
Connection loss between Site 1 & Site 2, and Site 1 and the Witness	Pause all VMs on Site 1 until admin action.	Don't failover. Log & Alert	Power down all VMs	

Reference: http://www.joshodgers.com/2016/06/15/whats-next-2016-metro-availability-witness/

QUESTION 3

An administrator inherits a new Nutanix environment and logs in to a CVM to check the network configuration. The configuration is as follows:



nutanix@NTNX-16xxxxxxxxx5-A-CVM:xx.xx.xx.76:~S manage_OVS show_uplinks

```
Bridge: br0
 Bond: br0-up
  bond mode: active-backup
  interfaces: eth3 eth2
  lacp: off
  lacp-fallback: True
  lacp_speed: slow
Bridge: br1
 Bond: eth0
  bond mode: active-backup
  interfaces: eth0
  lacp: off
  lacp-fallback: false
  lacp speed: slow
Bridge: br2
Bridge: br5
```

nutanix@NTNX-16xxxxxxxxx5-A-CVM:xx.xx.xx.76:~S manage_ovs show_interfaces

name mode link speed eth0 1000 True 1000 eth1 1000 True 1000 eth2 10000 True 10000 eth3 10000 True 10000

nutanix@NTNX-16xxxxxxxxx5-A-CVM:xx.xx.xx.76:~S

Which action should the administrator take to improve network performance?

- A. Configure VLAN tagging both on br0 and br1 and their physical interfaces.
- B. Add eth0 and eth1 to the br0-up bond
- C. Configure balance-sib or balance-tcp mode for br0-up if switch configuration allows
- D. Remove one 10 Gbs interface from br0-up to make sure all 10 Gbs can be used.

Correct Answer: C

QUESTION 4

An administrator is implementing a VDI solution. The workload will be a series of persistent desktops in a dedicated storage container within a four-node cluster. Storage optimizations should be set on the dedicated storage container to give optimal performance including during a node failure event.

Which storage optimizations should the administrator set to meet the requirements?



https://www.leads4pass.com/ncm-5-15.html

2024 Latest leads4pass NCM-5.15 PDF and VCE dumps Download

- A. Compression, Deduplication, and Erasure Coding
- B. Deduplication and Erasure Coding
- C. Compression and Deduplication
- D. Compression only

Correct Answer: B

QUESTION 5

HOTSPOT

An administrator is configuring an All Flash cluster to support the following workloads: Full clone virtual desktops Hadoop Write heavy databases

Which correct configuration options should the administrator use to meet the item requirements? For each procedure, indicate whether it is a correct or incorrect procedure that must be configured to meet the item requirements using the drop-down option.

Hot Area:



Answer Area

Procedure Correct/Incorrect One container with compression and deduplication enabled for full clone virtual desktops Correct Incorrect One container with compression and Erasure Coding enabled for Hadoop Correct Incorrect One container with compression enabled for heavy databases Correct Incorrect v One container with deduplication enabled for full clone virtual desktops Correct Incorrect One container with Erasure Coding enabled for Hadoop Correct Incorrect

Correct Answer:

One container with deduplication enabled for Hadoop

Correct Incorrect



Answer Area

Procedure Correct/Incorrect One container with compression and deduplication enabled for full clone virtual desktops Correct Incorrect One container with compression and Erasure Coding enabled for Hadoop Correct Incorrect One container with compression enabled for heavy databases Correct Incorrect v One container with deduplication enabled for full clone virtual desktops Correct Incorrect One container with Erasure Coding enabled for Hadoop Correct Incorrect One container with deduplication enabled for Hadoop Correct Incorrect

NCM-5.15 PDF Dumps

NCM-5.15 Practice Test

NCM-5.15 Braindumps