Leads4Pass

NCP-MCI-5.20$^{Q\&As}$

Nutanix Certified Professional - Multi cloud Infrastructure (NCP-5.20)

Pass Nutanix NCP-MCI-5.20 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/ncp-mci-5-20.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Nutanix Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

In which two scenarios is an automated live migration likely to occur? (Choose two)

A. Cluster resource hotspot

B. AOS upgrade

C. Network upgrade

D. Hypervisor upgrade

Correct Answer: AD

QUESTION 2

How should an administrator enable secure access to Volumes using a password?

A. iSER

B. CHAP

C. SAML

D. LDAP

Correct Answer: B

Explanation: https://portal.nutanix.com/page/documents/details/?targetId=Web-Console- Guide-Prism-v50:wc-block-services-enabling-t.html Provision storage on the Nutanix cluster by creating a volume group. Create a client whitelist to enable access to the volume group by using the IP addresses or client initiator IQNs in a whitelist (as part of the volume group configuration). Create a secret for the volume group if you are using CHAP authentication.

QUESTION 3

What is default behavior for VM High Availability for Nutanix AHV?

A. VMs restart on other hosts as available resource allow

B. No VMs restart because HA is not enabled by default

C. All VMs restart because system reservation are already made

D. Only VMs with High Availability explicitly enabled will restart

Correct Answer: A

QUESTION 4

What is the expected operation during node addition when the new node has a different AOS version?

A. The entire cluster is upgraded to the latest one-click release.

B. The node is added and a separate upgrade operation must be performed.

C. The addition fails and forces the administrator to image using standalone Foundation.

D. The node is automatically re-imaged using the software currently running in the cluster.

Correct Answer: C

QUESTION 5

An administrator is configuring cross-hypervisor DR from an ESXi cluster to a new AHV cluster. When the administrator migrates a protection domain to the AHV cluster, the VMs fail to boot. What should the administrator do to correct this problem?

A. Increase the snapshot frequency to more than 6 hours.

B. Uninstall VMware Tools from the VMs.

C. Install Nutanix Guest Tools in the protected VMs.

D. Add all VMs into a single consistency group.

Correct Answer: C

[NCP-MCI-5.20 VCE Dumps](#)   [NCP-MCI-5.20 Practice Test](#)   [NCP-MCI-5.20 Study Guide](#)