

# NCS-CORE<sup>Q&As</sup>

Nutanix Certified Services Core Infrastructure Professional

## Pass Nutanix NCS-CORE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ncs-core.html>

100% Passing Guarantee  
100% Money Back Assurance


Following Questions and Answers are all new published by Nutanix  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.



An administrator receive the warning messages shown in the exhibit while validating cluster conversion from EXSi to AHV. What should the administrator do to address this warning in v Center Server?

- A. Keep active adapters of different speeds as active standby
- B. Remove adapters that are active but not homogeneous.
- C. Keep homogeneous adapter as active and standby
- D. Remove the standby adapters under Teaming and Failover.

Correct Answer: C

---

**QUESTION 2**

A customer has a G6 AHV cluster with 4x10GbE NICs on each node and the following configuration:

\*

Networking is set to default

\*

Only two NICs are connected

The customer receives the following critical message:

The NIC is disconnected from the switch, or the switchport is failing.

What should the consultant verify to resolve the issue?

- A. The NICs are configured for active-backup.

- B. The VLANs are configured correctly on the switch or tagged on the cluster.
- C. The other two 10GbE connections are removed from the default bond.
- D. The NICs are connected for balance-slb.

Correct Answer: A

---

### QUESTION 3

A consultant is using the Foundation applet to create a cluster. During the process the consultant refreshes the progress bar web page and is concerned when nothing loads.

What should the consultant do to verify that Foundation has completed successfully?

- A. Return to the Foundation configuration page and start over.
- B. Update Java on the Foundation VM.
- C. Connect to any CVM IP address from a web browser.
- D. Restart the Foundation process.

Correct Answer: C

---

### QUESTION 4

A customer with a four-node RF2 cluster is adding application VMs to their system. After adding these VMs, the Prism dashboard shows 81% storage utilization. What is the consequence of running the cluster at 81% storage utilization?

- A. The customer has the ability to add more VMs up to the 100% storage utilization.
- B. There is available capacity in the storage fabric and the cluster is resilient.
- C. Node failure is imminent due to storage utilization.
- D. The cluster is not resilient in the storage fabric

Correct Answer: D

Explanation: <https://next.nutanix.com/how-it-works-22/recommended-maximum-storage-utilization-37234>

---

### QUESTION 5

An administrator recently added VLAN 205 CRM in Prism Element. The workloads attached to the associated NICs are unable to establish network connectivity. Which Layer 2 protocol allows the administrator to troubleshoot this issue from Prism Element?

- A. HDLC
- B. SUP

C. LACP

D. LLDP

Correct Answer: D

[Latest NCS-CORE Dumps](#)

[NCS-CORE VCE Dumps](#)

[NCS-CORE Braindumps](#)